


The SOUTH FRONT of a New defigned SQUARE

To Serve as an Exchange in the Eity of Edinburgh

9 Forgus Delint

1. B.II So



CONTRACT

OF

AGREEMENT,

FOR BUILDING AN

EXCHANGE,

In the City of EDINBURGH,

BETWEEN

The MAGISTRATES and Town-Council;

ANB

The TRADESMEN,

EDINBURGH:

Printed by Hamilton, Balfour, and Neill:



CC

CONTENTS.

ous abhasian ils bak *,aca dèvil ont tosta

PAGES.

ontracting,	(about certain public buildings, particularly an Exchange,	2
114	act of parlia- ment,	powers to com- missioners to fell,	3
	FriAres	receiving { plans, } from tradef- proposals, } men,	4
44	Commissioners	committing the execution unto the Magistrates and Council,	5
Preamble.	Recital of the act of Town-Council,	concluding with the commissioners, and be contracters upon getting the subscriptions,	\$
	hall -	purchase the areas, advance the price, settle the form of the building,	6
	Undertaker's propofals,	to do the whole work on their own pro- per cost and risk, to repay the price of the areas,	6
	_ anolivib	Total amount of the undertaking,	
	Agreement bety	ween the parties to build the Exchange,	7

		pull down the	ruins,	7	
	on their own char- ges, to	bish, and lay it either	on the Castle-hill, Cap and Feather Tax tail of the grounds, e commissioners shall di	6	
		find all materi	als and workmanship, nange,	} 8	
Undertaker's part,	Alle as a	in its fituation dimensions, front, square, piazza,	and bounding,	9 10 10 11	
	Exchange,	Contents in	fhops, houses, printing-houses, coffee-houses, costom-house,	}"	
- Jhan i	00 y	to be named all to be work		}12	
nta ptas	Time limited to finish the building,				
	Conform to	{ plans and estimations	fubscribed,	}12	
	Particular	hir	and the feet of	Proximi	
		, as to walls in	hewn-work,	12 13 14 14 15	
14			corners, fafe-lintells, cornish, fub-divisions,	}16	

greenest beinger et e perger to beint ing buchange

I

2

2

15

16

Mafon-work

Conscion to d	manner of executing the whole, ?	16
manager a high	penns,	-4
The second second	arches.	17
	doors	
	locks,	
vaults,	pavement,	
180319117.501 306	funnels	18.
WIND BUILD BY GW	grates, -maiq bas T	Sign
s and wall-plax	lights, ni drow-r	d
the states	barrs,	
the dines,	(manner of executing,	
, 20021		
The same of the same	height,	
, sion	thickness,	18
drains,	paved,	19
ges for the rai	conveyances of water thro' the walls,	.,
2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	funnells,	
clind non mil	grates screwed down,	
	l fink stones,	
bantilon lo l	f number of them,	
oor miel sale	division or the briggs,	
	fize of vents,	
Manufacture 1 auto	how to be plaistered,	
	to be free'd of smoak,	
chimneys	ragglings on the head,	19
and vents,	corbles or arches under the hearths,	20
	marble chimney pieces in the custom-	21
	house	100.31
ten sandand	cutstone in the other houses,	
1017 1070	hearth-stones,	
	covings of Dutch tyles.	Mail
empilizant buts	Cheads	
dir to dad	chimney- { heads, stalks,	1
Lower	(a hanging stair for the customs,	
	fcale-stairs for the wings,	
	newal walls,	
		21
1	dimensions of the steps,	22
flairs,	arches under the plats,	
	Mary King's closs,	23
Martin bear	stairs for 3 vaults,	1
	Allan's closs,	17. 74.5%

M

Gla

Slater and plumber-work in	roofs,	manner of performing, farking and plat form, rafters, purlines, fcantlings, lead-roof for the customs, hatch-ways and sky-lights, couples and wall-plates, of slates, laying the flates, nailing the flates, of the lead, lead, gutters, and cornishes, easing drops, weight of the lead, lead-pipes for the rain, cisterns with grates, fixed with iron-balls,	23 24 25
er on all and a	the piazza,	to be all of polished stone, have a plat-form roof, cornish, rail of the balustrade, octangular sky-light sashed, its dimensions, wire tirlace,	26
Mafon-work in	pavements,	fome of brick-arches or passages, paved over with polished free- frone. particular dimensions, laid on beds of till, fome of broched work, all well-rammed, jointed, and hedged,	26 27
1 82	front,	dressing thereof in { cornish, pediment, pedestalls, vases, city arms and inrichments, how to be performed,	28

	(7)	
	Writer's-Court	S how to be introduced, how dreffed, form of the dreffing in timber,	\[\int \frac{28}{29} \]
Mafon-work in	east-wing,	to be dreffed like the Writer's- Court, in stone, how wide,	}29
	entry,	Show dreffed, of hewen-work, good stone,	30
Glafier and window-	work,	dimensions of the windows, of sashes, best Newcastle-glass, ropes and pullies, wainscot frames, painted, pully, boards for paces,	300
Of timber and wright-work,	of joifting and of deals,—door flooring, wains floors in the cut furbace and ly pannells,—ard iron-holdfafts, window-flutte ftandards in pannels in pannel		31 32 33 33 34
Of plaisterer- work,	manner, on the ceilin	oms, to be in the custom-house, coats Exchange,	
		thes to the whole rooms, finishing the several coats,	j

Of fmith-	work, and to b	other smith-work, delivered into the e at the rates and commissioners, the paterns,	35	
All which w	ork to be finished	ed as described,	35	
At least, all	the mason, and	face, and out-work,	2	
And also the	whole work fo	r finishing the customs,	536	
		when roofs are on and joists laid, er houses, and shops, either and shifted, or unfinished,	} ₃₆ } ₃₇	
	provide all tools, work-looms, fcaffolding,			
	not use old materials, excepting the stones, and that in the rubble work only,			
	carry off the r forfeiture, in	ubbish upon finishing the work, case work not finished in time,	38 38	
Underta- kers to	allow the Ma to have an in		e } 39	
	run the risk o	f the sales at particular estimates,	40	
	Estimate of	fhops, houses, printing houses, coffee-houses, custom-house, materials and area,	} 40	
	Such estimate Exception as An increase to Have an abas Give the Mag	to be the rate and value, to be the rate and value, to the custom house, the fund, tement, if the custom-house is not used, gistrates a half of what the subjects shall sell dimate,	42 43 43 43 43 a-	

	to pay to ac area, money advanced for or shops, either of price, fold or estimate, put thereon, which ever is highest,				
	And that, within fix months after, either the fale, or being possessed, with interest thereaster, Remainder on finishing the work,				
Underta- kers,	And all moneys advanced to be bestowed solely for the use of the building, and bear an interest of one per cent. below the legal, Receipts of any three Undertakers to be sufficient, to finish the front, shops, and buildings of the west wing, before Whitsunday 1757,				
essa	to pay $\frac{2}{3}$ price of the tenement, at the head of Writer's Court, within three years, from the date of the contract, having the rest of the tenement to themselves:				
	The work to be measured, and, if less than estimated, then the Undertakers to reap no benefit; if less than estimated, then the Undertakers to suffer a proportional abatement,				
	Provifo, that no verbal, or even written, orders or agree ment, shall be binding on either party, unless under the hand of all the parties contracting,				
On the	to fell to the Un- area, dertakers the old materials,				
Toun- Council's- part,	upon entering on the work, purchase all the ruinous houses, and tenement at Writer's-Court, and space behind the building,				
	maintain the Undertakers in the same,				

te de la constitución de la cons		to dispone to the Undertakers the whole premisses, together with all rights thereto,
	upon compleat- ing the work,	and grant all writings, or ratify particular fales, or make feparate dispositions:
V. 2		But faving to the public the piazza, and all its appurtenances, to be upheld by the city; And thereupon the Town-Council to be free, at the Undertakers' hands, of all after obligations,
On the Town-Council's-part,		fentering on the work, - L. 750] the west-wing is level with the court, 250 Whitsunday 1755, 1000 whole building shall be level with court, 1000 first joist on the bazement, 1000 the roofs on the frontshops, 2700
	In the mean time to advance to the Under- takers, when	2d joists are laid all around, 750 55 third joists are laid, - 2750 roof on the whole building, And thereaster by certain proportions, - 5050
		In all L. 18000
		Or at fuch other times as parties may agree upon. And all fuch 3 56

All matters relative here-to, not mentioned, and all to be determined by ar-bitration. bitration, disputes and questions, -Arbiters, in case of variance, to choose an umpire, Parties to enter into submissions, within ten days, when required thereunto, Award or umpirage to be final, if pronounced within \$ 57. twenty days after the submission, for performance by the parties under the mutual penalty, of L. 500 of the work shall remain with [plans, the Commissioner's clerk, elevations, That the as mutual evidents of both fections. estimations, parties, Mutual covenants, Provest Drummond authorized to fign these relative writings, in name of the whole Town-Council, registration as well of { the contract, as re-Clause of 59 fubscription by { Magistrates. Date, Edinburgh, 12th June 1754. A clause added about advancing the money, for carrying on the work,

All man and along here it come electronical by and alignment and appealence of comessions.

-Arbiters, in culé of varience, to choose an uprofer,
I Parties to the med from Lone, which ten days, when
I require recovering

die beschoort is dest ad de againers actionwA.

be paid a contract to the paid of the number present of the contract of the co

Congrahement (Ind) Secretarian (Ind) Secretarian

Sanara india abahar 1 - Indianter Sanara (1 Sera). Rapinak anda mangrahi an anara (1) Matuel co-

Carrier Devices of the same action by a large of the contraction of the contract of the contra

Summer of the standard of the

A class of the contract of the

CONTRACT

O F

AGREEMENT.

Dis Agreement for erecting an EX-CHANGE in the City of Edinburgh, made between the Right Honourable William Alexander, Esq; Lord Contracters. Provost, David Inglis, John Carmichael, Andrew Simpson, John Walker, Bailies, David Flint Dean of Guild, Adam Fairbolm Treafurer of the faid City, together with the remanent Council, and Deacons of crafts, ordinary and extraordinary of the same, for themfelves, and their fucceffors in office, and as representing the whole body and community of the faid city, OF THE ONE PART, AND Patrick Jamieson Mason, Alexander Peter, George Stevenson, John Moubray, Wrights, John Fergus Architect, all Burgesses, Freemen, Members of Mary's Chapel of Edinburgh,

burgh, Undertakers for building the faid Ex-

That where, in and by an act of parliament made in the twenty fixth year of the

reign of his present Majesty, intitled, "An

Preamble. change, of THE OTHER PART, Beareth,

Recital of the act of parliament about public build-

ings.

" act for erecting feveral public buildings in " the city of Edinburgh;" reciting the use and occasion for erecting certain public buildings in the city of Edinburgh therein mentioned, as well for the convenience as ornament of the faid city, particularly an Ex-

THINGS, ENACTED, "That the persons " therein particularly named, and their fuc-

change for the Merchants and men of bufi-

ness to resort to; IT IS, AMONG OTHER

" ceffors, should be, and they are thereby

" constituted and appointed, Commissioners

" for defigning, ordering, and caufing to be

" erected, or otherways provided, in conve-

" nient places, within the faid city, fuch

" buildings as they shall judge proper for the " uses and purposes therein recited: PAR-

" TICULARLY to the intent that an Exchange

Particularly of an Exchange. " may be erected near the center of the city,

" IT IS ENACTED, that the faids commissio-

" ners, or any seven or more of them, shall

" have full power and authority, to agree

" with

" with the owners and occupiers of fuch " houses and grounds as lie on the north-" fide of the high street; bounded by " the entry to the tenement of land com-" monly called the Writers-Court on the west; " the stone-land immediately below Allan's " close, commonly called Fairbolm's Land, " on the east; the high street of the said " city on the fouth; and the lake, com-" monly called the North-Loch, on the north-" parts; being one hundred and fifty feet " from east to west; on the fouth-bound-" ary fronting the high street, comprehend-" ing the whole houses and ground north-" ward from the faid fouth-boundary to the " North-Loch: and to purchase the same at " fuch prices as shall be agreed on between " the faids Commissioners, or any seven or " more of them, and the faid owners and " occupiers respectively; and being so pur-" chased, with power to the said Commission-" fioners to order the faid houses to be pul-" led down, and an Exchange to be erected " in fuch form and manner as the faid Com-" missioners, or any seven or more of them, " regularly conveened, shall appoint and " direct: And it is thereby further enacted, " That

R

S

y

S

e

-

h

e

2-

ge

y,

)-

11

ee

th

"That it shall and may be lawful to and " for the faids Commissioners, or any seven " or more of them, and they are thereby " required, to let, fell and dispose of the " buildings to be by them erected at the " intended Exchange; and they are thereby " impowered to let, fell and dispose of the " fame to fuch person or persons as shall be " willing to contract, agree for, or purchase " the same, in whole or in part." AND WHEREAS the faids Commissioners, in pursuance of the said act of parliament, and in execution thereof, have refolved to begin with the faid Exchange, and finish that work according to the plan, and the propofals for executing thereof, delivered unto them by the foresaid members of Mary's chapel, and have proposed to the Town-council to be the contracters, on the part of the public, with the Undertakers for the fame, and that the rights to all the areas which are to be purchafed in order to erect the building shall be taken to the community of the city of Edinburgh, until they are disposed of, in order to replace, from time to time, the sums that are to be advanced for carrying on the

works, by the price which these buildings

shall

Exercise of these powers.

Commissioners devolve the power of contracting on the Towncouncil.

shall be fold for: AND as it was not cer- And to treat tain, whether the middle part of the build- about the Customhouse. ing of the Exchange is to be fitted up for the Custom-house, or for private dwellings, the Commissioners having received proposals for finishing that part of the building in either view, and agreed with the Undertakers to build it the one way or the other, as they shall be directed: so the said Commissioners recommended it to the Council to treat with the Board of customs thereabout, that the city may be the proprietors of the Customhouse. AND WHEREAS the Magistrates Town-counand Council, by their act, dated the 29th of cil accept. August 1753, did agree, conclude, statute and ordain, that the Town-council will, from time to time, be the contracters on the part of the public, with the Undertakers whom the trustees named for the erection of the faid building, having the fubfcriptions made over to the city for the community's relief, and the rights to the feveral areas to be purchased; and that they will enter into treaty with the Board of customs for accommodating them with a proper office for that revenue; As in and by the faid act of parliament, resolutions of the Commissioners,

Town-council become contracters.

Undertakers proposals agreed unto.

Commissioners, and act of the Town-council, in part before recited, will more fully appear. AND WHEREAS the faid Lord Provost and Magistrates have accordingly purchased, or are about the purchasing, the houses and grounds before designed, for forming a square to serve the foresaid Exchange, for the price of L. 11749:6:8, Sterling money, at least, to be only rateable at fuch price to the faid Undertakers, AND HAVE, with the foresaids Commissioners, appointed and directed the form and manner of erecting the building for fuch Exchange: AND THAT the faids Patrick Jamieson, Alexander Peter, George Stevenson, John Moubray, and John Fergus, upon getting the area and houses to be built around the Exchange affured to them, HAVE engaged and undertaken to and with the faids Magistrates, As WELL to perform the whole work on their own proper risk, cost and charge, upon an estimate of L. 19707: 16:4; As that they will repay to the faid Magistrates, the foresaid sum of L. 11749:6:8, so laid or to be laid out for purchasing the area of the faid building, AMOUNTING fuch under-Total charge, taking, on their part, in whole to thirty one thousand

thousand four hundred and fifty seven pounds three shillings Sterling money of Great Britain. And now that both parties have agreed thereto, and thereupon adjusted, af- Present conficertained and fettled, all matters and things about the faid area and buildings, conform to plans and estimates hereto referred; AND THAT the whole be reduced into a contract on the terms, in manner, and to the purport following: Therefore the faids Patrick Jamieson, Alexander Peter, George Stevenson, John Moubray, and John Fergus, Undertakers. of the one part, bind and oblige them, jointly and feverally, their heirs, executors and fuccessors, THAT they, their foresaids, workmen or affignies, or some or one of them, for the confiderations herein after-mentioned, shall and will forthwith, at their own proper costs and charges, take down and de- To pull down molish the ruinous houses on the foresaid ground where the buildings defigned to ferve the foresaid Exchange is to be placed, and cart away, as well the rubbish therefrom, as what shall be dug for and from the foundations of the walls and vaults, to be thereupon built, and to carry away the stuff, and by the direction of the faids Commissi-

1

e

Articles on the part of the

Clear the rub-

oners

oners lay down the fame, in their option, either on the Castlehill, or on the area behind the cap and feather tavern: or in case. any stop may be made to the spreading fuch rubbish on the Castlehill, or that, for the present, it may be thought unnecessary to carry the same to the area behind the cap and feather tavern; then, and in these cases, to lay down such rubbish on the north-tail of the ground hereby to be builded upon, fo as it may be ready to the Magistrates, and on their cost either to remove the same, when needed, to the area behind the cap and feather tavern, or spread on the ground below for narrowing the North-Loch and forming banks along the fides of the fame, as the faids Commissioners or Magistrates shall direct: and IN THE PLACE AND STEAD THEREOF, when the faid ground is fo cleared, shall, at their proper risk, costs and charges, find and furnish all materials and workmanship, and thereupon build, erect and finish, to the best of their art and skill, All that Building to ferve for an Exchange for Merchants, and other people in the city of Edinburgh to refort unto, to be SITUATE, and limited on

the

Find all materials.

Erect the Exchange. the EAST by the west gable of that stoneland commonly called Fairbolm's land, and extending from that westwards 153 feet, inclusive of an open from the ground to the top of the building of four feet between faid Fairbolm's land and the east wall of the east wing, for allowing the dropping over of the roof on both fides; excepting a space of 26 Situation of feet northwards from the front, which is to be roofed in, and joined to Fairholm's land, to answer as closets, and for other purposes for the east wing, and under which there is to be an entry four feet wide, leading into faid open, to be properly paved for the better carrying off the water; and on the south by the high street, excepting a projection of three feet, which the wings will make, by advancing so much further south than the front of the adjoining buildings, so as to diftinguish them; and on the NORTH by a line parallel to the fronts of the faid jambs, extending from west to east 1111 feet from out to out; and from fouth to north 180 feet, also from out to out in a straight line, befides the projection on the back front opposite to the great stair, which will be 24 feet from east to west by three feet northwards,

the Exchange.

Dimensions.

and on the east jamb which will be 27 from east to west by ten feet northwards, OF THE DIMENSIONS, and to confift of a body of a house 1111 feet in length from out to out, and 511 feet broad over walls in the centre line, besides the projections last mentioned, and two wings or jambs projecting forwards to the fouth from the ends of faid body, 131 feet each, for forming the east and west sides of the Square, with a range of building on the fouth along the fides of the street 19 feet high from the level of the court, being of a height with the basement of the building, with a plattform-roof thereon, covered with lead, rifing not above two feet more of perpendicular height, and nine feet funk below the level of the court, to the level of the under groundfloor of the faid range of building; AND TO HAVE THE FRONT BUILDING 34 feet over walls from fouth to north, placed one foot further north than the wings of the building, that the wings may have a break fo much before the range, and to have an entry in the center of ten feet wide, and on the infide rustic arches, in which the doors and windows of the infide shops are to be introduced, in the same manner as the other three sides

Frontispiece.

of the Square are to be; ALL TO FORM A SQUARE COURT of 83 feet from fouth Square. to north, exclusive of a piazza 13 feet deep, to be laid along the fouth fide of the main building, and 80 feet wide from east to west, including the space occupied by a well or void left between the east wall of the Writerscourt and the under-ground vaults, of eight feet wide, and 42 feet in length, from the fouth front of the main building, for letting in light to the houses in the said Writerscourt which are under the level; AND TO HAVE A PIAZZA included in the faid Piazza for an Square for an Exchange, confisting of the arches, imposts and ballustrade, in the form and dimensions after mentioned; AND TO CONTAIN in and around the faid Square, Firstly, Ten shops on a line with the street, with rooms over them; Secondly, Four shops behind the range to the street, with rooms over them; Thirdly, Seven shops within the court with rooms over them: Fourtbly, Ten laigh shops to the street; Fifthly, Eleven laigh shops within the court; Sixthly, Two houses on the east wing; Seventbly, One house on the west wing; Eighthly, Other three houses, whereof two on the fouth end of the wings

1

9

4

d

e O

y

1-

1d,

es

of

And have a

Number of shops and houses to be contained in the Square.

to the street, and one on the north of the

To be named name the Exchange.

Time limited to finish the building.

Conform to plans and eitimates.

Manner of performing the work.

In foundati-

east wing; Nintbly, Two printing-houses; Tenthly, Four dwelling-houses under the level of the court; Eleventhly, Three coffee-houses; and, Twelfthly, and laftly, A custom-house: And the faid ranges of building and Square, when erected, to be hereafter called by the name of The Exchange. AND ALL SUCH BUILDING, and every thing of and belonging thereunto, on or before the 15th day of May, which will be in the year of our Lord one thousand seven hundred and fixty two years, fully and wholly to construct, build, erect and finish, in good, firm, substantial, ornate and workman-like manner, in every respect, According to the method hereby, and by the plans, elevations, fections, and estimates thereof, prescribed, agreed, and expressed; all subscribed of this date between the parties in manner after directed, and by these presents referred, and hereunto specially relating. Barticularly touching the MASON-WORK, THAT all the foundations shall be so digged, as to make them proper and fafe for building upon, in order to prevent crevaffes and rents in the walls, AND THAT THE WALLS to be built, shall be, from

from bottom to top, in manner, and of the dimensions, following; that is to say, THAT the foundations of the north-wall shall be five feet thick; all the other outfide-walls, and those that bear vents on the inside, at four and a half feet thick, and the vault-walls at four feet thick: That in the ground-storey there shall be a set-off, of fix inches, in all the walls, except the back-wall, and from it nine inches are to be reduced; and in the fecond storey the cross mid-wall and backwall shall be four feet thick, and all the rest three and a half feet thick, except those in the west stair, which shall be only two and a half feet thick, and the third storey shall be the same; and all the walls of the vaults above the foundations shall be two feet nine inches thick; and the partitions of thefe vaults shall be two feet, and all the pillars in the stone-stairs shall be one foot thick to the top; and the back-wall in the coffeehoufestorey level with the court, shall be three and one half feet thick, and the mid-wall four feet thick, and the wall in the breck under the pedimont shall be four feet thick; and all the walls of the custom-house shall be three feet thick, except the two cross partitions, which fhall

1

d

n

y

-

re

15

)-

to

D

e,

m

Walls.

Walls.

shall be one and a half foot thick; and the walls in the two wings level with the court shall be three and a half feet thick, and in the parlour floor shall be three feet thick; and where there are timber-stairs shall be thinn'd to two feet three inches, and the cross midwalls which carry vents shall be three and one half feet to the top, and the drawing-room floor shall be the same as the parlour; and in the attic-floor there shall be a sett of three inches, reducing the outer wall to two foot nine inches at top; and the whole of these walls shall be composed of good rubble stone, the front to the court and street all broched work, between the windows and in level courses, of a good well-coloured stone; and all the hewn ruftics, and other hewn work on front, shall be polished in the best manner, and of one fort and colour of stone, and such as shall stand the weather without throwing out; and all the door and window rebbets shall be of hewed work, and polished, well banded into the wall, and no upstart rebbets to be used in any part of the building, but to be courfed with out-band and in-band, and fo ranged that all the lintels shall be laid on sufficient inbandrebbets, and the checks of the faid rebbets for receiving

Hewn Work.

receiving the door frames shall be three and one fourth inches deep, and those for the windows shall be three and one fourth inches deep, for the more freedom of the paces, as most of the windows are large; and the cement for the whole shall be composed of good seafand and well-burnt lime: AND the whole work in the foundations SHALL be laid with out and in-band large flat bedded stones packed in a fufficient manner, and with good mortar made of lime mixed, and made up with fea-fand; AND as to the other parts of the faid rubble-work, the bed of every stone shall be at least two inches broader than it is high, and in every other course the end of the stone shall be turned to the face of the wall, and the length of the stone shall be turned in through the wall: ALL WHICH shall be sufficiently bedded, grouted, and filled up with mortar of lime and fea-fand, and the rubble-walls shall be harled as they are carried up: AND all the HEWN WORK of the faid building shall be executed according to the dimensions and form expressed for the fronts to the court, agreeable to the manner before mentioned; and the whole rebbets of the windows and doors shall make out-bands and in-bands, without start-

Hewn Work

ups; and all the rebbets in those parts of the building which is to be rubble-work shall be from fourteen inches to eighteen in height, and the foles and lintels shall not be under feven inches thick; AND the whole COR-NERS of the building shall be done with broached free-stone not under two feet long, nor above fourteen inches high; and, in place of using timber for safe-lintels, such shall be arched with stone over all the doors and windows both on the out-fide and in-fide of the house; and there shall be wrought, laid and furnished, a stone cornish of nine inches thick, and nine inches projection, for the back-walls of the faid building, for throwing the easing-drop from off the wall; AND all the different storeys of the said Square, both body, east jamb, and wings, shall be divided, either by stone-walls, lath and plaifter, or brick partitions, in every respect according to the plans. AND AS TO THE VAULTS or cellars in the foresaid building, THAT the whole thereof shall be built of good and fufficient flat-bedded stones and mortar as above described, the pend-stones even at the crown or top of the arches, and not be under fourteen inches deep, and to fill

Of executing the Vaults.

ł

up the whole flanks or haunches of the arches with folid rubble-work, well-bedded and grouted: And as to the vaults under the court, that are on a level with the fecond storey of the back-building, that they shall be of a length equal to the wideness of the area, and of a breadth equal to that of the piazza, with another twenty feet long, and fixteen feet wide at each end, on the fouth of the faid vaults; and on the level of the third storey of the back-building, of a length equal to the wideness of the said area, and of a breadth equal to that of the piazza; and three other vaults at each end, twenty feet in length upon the area of the court, and forty two feet over walls from fouth to north; and in the storey immediately under the level of the court, of the full wideness and breadth of said court: which three storeys of vaults shall make together the height of thirty feven feet, equal to that of the back building, from the level of the second storey to the level of the area or court, including the thickness of the arches and pavement; AND the space in the center below the vaults, which is immediately under the level of the court, shall be filled up with rubbish

rubbish (seeing it can neither have light nor air) excepting fuch parts as shall be occupied by the drains; AND THAT they will put free-stone rebbets in the doors to all the vaults under the court, with double or backed timber doors and frames, and fufficient locks and hinges thereto, and pave the floors, and make proper funnels, with iron grates, for conveying light into the vaults immediately under the level of the court, to the number of twelve, of different dimensions, according to the spaces where they may be needed, the bars to be one inch square, and not to be more than one and a half inch diftant from one another; and to caussaway all the vents in the different storeys in a sufficient manner. AND AS TO THE DRAINS expressed Of Drains, on the plan of the foundations, extending fixty feet beyond the back front, such SHALL BE four and an half feet high to the fpring of the arch, which shall rise one foot, and shall be three feet wide within, and the fide walls of the drains shall be two and one half feet thick, and the arch shall be of good rubble-stone, and the bottom paved with strong flagg-stones, lapping over one another four inches at least, and let six inches into the wall

wall on each fide; AND THERE SHALL be carried up proper CONVEYANCES thro' the feveral walls of the building to the kitchens and water-closets of the different houses, for discharging the foul water from them into the drains, and for admitting pipes of clean water for the service and conveniency thereof; and these conveyances shall be properly inclosed, fo as to keep them from being noxious to the shops below, and yet so as easy access may be got to the pipes to rectify them when necessary; AND THAT eight proper funnels shall be made up for the drains for conveying away the rain water from the roof of the faid buildings, and from the area of the court, with eight iron grates and eight fink stones, the iron grates to be two feet square, each composed of bars of one inch square, and at one inch distance from each other, with hinges, and lock'd down with a screw, to prevent stones or rubbish from getting in, that might in any ways obstruct the passage. AND AS TO THE CHIMNEYS AND VENTS, that there Of Chimneys shall be placed properly, and according to the plans, 235 chimneys; and their vents shall be carried up, and all the divisions or brigs shall be of a sufficient thickness, not under three

three inches, even at the top; and all the vents shall be sufficiently large and proportioned to the fizes of the rooms and kitchens they are to ferve, the smallest fize of vents not to be under 14 inches by 10 inches, the middle fize not to be under 17 inches by 10 inches, and the largest fize not under 20 inches by 10 inches at the narrowest places; and the whole vents shall be plaistered with pargetting-mortar; and in all which vents care shall be taken to have them carried up so as to be free of smoaking, and the utmost endeavour shall be used to cure them if they do: And there shall be made a ragling on the fides of the chimney-heads where the flate-work joins to them, for letting in the farking and flate, in order to prevent the rainwater from coming in betwixt the roof and the walls; and shall either corble under the whole hearths with stone, or arch the same with brick, fo as the outfide-hearths shall not be bedded upon the timber-work, and thereby render the same more secure against the accident of fire; AND SHALL place three marble-chimneys in the customhouse, with marble jams and tabernacle frames, and make the whole other chimneys in cut stone, whereof

whereof the three in the coffee-rooms shall be handsome moulded chimneys, with architrave, freeze, and cornish relieved pilasters and confols, the whole outfide and infide hearths to be of polished work, and each of these hearth-stones shall be of one solid piece, and the outfide-hearths shall be at least two feet broad; and shall furnish and set the infides or covings of fixty fix chimneys in the building, with good Dutch chimney-tiles; and shall build the whole chimney-heads of droved free-stone, the cornishes and coping whereof to be batted with lead, and the brigs to be dove-tail'd into the coping; and all the chimney-stalks shall be of hewn-stone, with cornice and coping, but not polished. AND AS TO THE STAIRS, That the great Stair to the customhouse shall be made a Of Stairs. hanging-stair of stone, both steps and plats, from the bottom to the top thereof; the length of the steps and plats to be fix feet in day-light, with eighteen inches more at least of a counter-balance, with a bottled moulding on the fronts and ends; the whole to be fo formed and joggled together, as to be thoroughly sufficient and strong; the treads of the steps, when wrought, not to be under fifteen

fifteen inches broad, including the bottles, besides the overlapping; and the rise of the step not to exceed seven inches high at most; the whole to be neatly jointed and polished: As Also build a scale-stair of stone at the north end of each of the wings, which stairs shall be carried from the ground-floor up to the level of the floor over the highest shops, agreeable to the plan, with a newal wall of a foot thick betwixt the two flights of steps, the ends of which newals to be done of droved free stone breaking-bond, regularly, without flart-ups; the steps in the east stair to be 41 feet long of day light, and of the west one 4 feet 9 inches day-light when laid, with a hold in the wall of at least 4 inches at each end, and to be 14 inches broad on the tread including the bottle, but not to be under 16 inches when laid, so that each step may overlap one another at least two inches; and all the plats and steps of the stairs shall be polished work: As also there shall be built a scale-stair of stone in each of the south houses of the two wings, which shall be carried from the levels of the floors of the cellars, immediately under the level of the court, up to the garrets of these wings; the steps

in each stair to be 4 feet long of day-light, with a newal wall of a foot thick betwixt the two flights of steps; which steps, plats, and newals, shall be done exactly in the fame manner as above described for the other two stairs: As Also shall arch under the middle of every plat of the five stairs for supporting thereof, in a sufficient and substantial manner, and not to safe-lintel either with timber or stone. DECLARING, That altho' the cellars or vaults lying on the north fide of the middle gables in the faid wings, go no deeper than 32 feet below the level of the court, yet the stone stair on the north of the west wing shall be continued down so far, as to give an access into Mary King's closs, and the stone stair in the west end of the piazza shall be continued down so far as to give access to the houses under the level of the court and vaults in that part: As ALSO the stair on the north of the east wing shall be continued down fo far as to give access to the houses and vaults in these parts, as well as an entry into Allan's close. AND AS TO THE ROOFS, That they shall provide, Of Roofs. make, and fet on a sufficient roof on all the different parts of the said building, with farking

farking and plat-form dales of good red firlogs, composed of principal rafters 9 by 85 inches; the purlines 81 fquare, and not to exceed o feet of a bearing in the clear; ALL the feantlings 71 inches by 21, and all the purlines shall be framed into the principal rafters and draw-board, and the farking shall be of 11 inch deal, and the flooring on the plat-form 11 inch thick: AND SHALL bind the roof over the customhouse, properly, with bolts and straps of iron, and lay the plat-form deals the same way in length with the sheets of lead, and place hatch-ways in the plat-forms properly, for getting access to the leads and chimney-heads; and lead fky-lights, with running sashes, in the different parts of the roof, to the number of forty, in a sufficient manner, so as to be water-tight, in order to give air and light to the different garrets; and the feet of the whole couples shall butt with a heel against a wall-plate, and be spiked down to it; which wall-plate shall be sufficiently and firmly fixed to the upper part of the garret-joifting, so as to take off the lateral pressure of the roof from doing harm to the fide-walls: And shall cover the roof of the faid building with Eafdale flate of the best kind,

kind, and in the most sufficient manner, every flate above the smallest fize to have two nails, and these not under twenty pound weight per thousand; and to shoulder the flates with plaister-lime, to prevent the windfrom shaking them, the slates being exactly fquared, in order to be closs, and to hinder the drift from getting in, and overlapping one another, fo far as the nail in the eye of the first slate shall be sufficiently covered by the tail of the third, and fo on: AND SHALL furnish and lay on the lead upon the platforms, flank-speans, and ridges of the roof, and form a lead gutter upon the top of the modillion cornish, to prevent the easing-drop from falling over and spoiling the walls; all which lead-work shall be with proper drips, rolls, overlaps, and raglings, of a sufficient breadth, when laid for the feveral purpofes above-mentioned; and shall be cast at the rate of eight pound weight Troas to each foot fuperficial in the sheet before laying; and shall convey down all the rain water from the roof in lead pipes of 41 by 6 inches in the clear; to be fixed in the angles, with lead cifterns and grates at top, and mouldings on the joints, and fix them up with iron batts, and every other thing Of the Piazza.

thing necessary. AND TOUCHING THE PIAZZ A for the Exchange, that the same shall be according to the plan and elevation thereof, with its arches, imposts and ballustrade, all of polished free-stone, outside and inside; the back-wall of which piazza being the frontwall of the coffee-houses, together with the end-walls, shall also be of polished free-stone, up as far as the ceiling of the faid piazza; and all the stone ballusters shall be of the form and dimensions of the pattern delivered in of this date, with a label fixed to it, figned by the Clerk to the Trustees, and by the faid Undertakers, to remain in the Clerk's hands, for comparing with the others before they are used; AND SHALL cover in the said piazza with a platt-form roof, laid with lead above, and lath'd and plaistered below, and a handsome plaister-cornish going round, forming the ceiling; and the rail of the ballustrade over the Exchange shall be bound with lead; and over the middle of the piazza shall be maid an octangular sky-light, sash'd and glazed, ten feet over, covered above with a strong wire-tirlace, to prevent its being broke. AND AS TO THE PAVEMENTS, That they shall arch in a sufficient and substantial

Of Pavements.

manner

manner with brick, upon beams, the floor of the passage leading from the piazza to the great stair of the customhouse, and all the floor of the space occupied by the faid stair, and pave with polished free-stone over these arches, so as to prevent as much as possible the accident of fire from the houses below; AND SHALL lay the steps in the front of the faid piazza, and pave the floor thereof, in a fubstantial, regular and handsome manner; as also the whole area of the court, and a walk of twelve feet broad, the length of the front next the street, together with the stairs, down to the laigh shops, and steps up to the other shops, all of droved free-stone, none of the faid pavement to be under five inches thick when wrought; and fill up all the flanks or haunches of the arches in faid building with folid rubble-work, to bring it to a level with the crown of the arch; and lay a bed of till, at least fix inches thick, over the whole vaults, composed of clay, lime and fmiddy-culm, well and proportionally mixed and ramm'd, and the joints of the pavement, which is to be laid on this till, to be fecured with pan-cratch or terras sufficiently beat and prepared: And shall pave the floors of all the

the laigh shops in both wings, and of all the kitchens in the feveral houses, with broatched free-stone, breaking-bond, and well jointed, and bedded with lime, to prevent the fame from shifting, and ramm all the loose earth fufficiently in all the ground-floors where the faid pavements are to be laid. AND AS TO THE FRONT of the building, that the fame shall be executed and dressed in a proper manner, according to the faid plan; and that they shall perform the whole great cornish, the pediment, pedestals, and vases on the middle breaking of the front, and carve or cut the City's arms and other enrichments in the core of the pediment, in manner as follows, viz. The pediment to have pedestals on each end, and one on the top, with three proper vases set thereon; and in the center of the pediment, the City's arms to be cut after the manner of the town's feal, with the proper supporters, adorned with foliages and other enrichments; and the whole carving to be performed by the best hands can be had in North Britain. INTRODUCTION FOR THE WRITERS-COURT into the Square, feeing that, altho' the west wing is to extend one hundred

Of the Front.

hundred and thirty one feet fouth from the body of the building, yet, as the houses and ters-court is to shops to be contained in the faid wing must be introduced, be confined northward to the fouth gable of the east jamm of Writers-court, and can extend no further, fo that the east wall of the Writers-court comes to be introduced into the Square, and to advance one foot eastward in upon the court by a break for discontinuing the range of windows; and as it must be dreffed differently from that of the new buildings, on account of the altitudes and fituation of the faid windows; SO SUCH DRESSING and dreffed, shall be composed of five pilasters of the Corinthian order, fet upon the top of the bazement, and wrought of good red fir, the capitals of the pilasters of lead, and the spaces between made up of good hard plaister, and the whole of the wood-work painted in oil, and coated with fand fuitable to the hewn stone in the other parts of the building, in a fufficient and workman-like manner. SUCH part of the east wing, which is opposite to the Writers-court, shall be dressed be dressed. with pilasters in like manner, but composed of hewn-stone, as the other parts of the new building are to be; which east wing

e

How the Wri-

East wing to

will

ė

M

d

b

W

C

f

ar

fo

be

ni

fr

fic

th

W

vi

ki

in

pl

fh

fo

will be bounded on the east by the forementioned space of four feet immediately west from Fairbolm's land, and shall be twenty fix feet wide on the north, where it joins the main building, and thirty one feet on the fouth, where it is to come up to the high street from out to out, because of the adjoining buildings not lying at right angles with the street, beside a space of four feet by 26 feet on the fouth end of the faid open, which shall be covered in at the height of 10 feet up from the level of the street, for the behoof of the faid wing, with door-ways therefrom; also the break in the entry where the pediment is raised, shall be dressed with pilasters of the same order, so as to correspond with those on the wings, having a modillion cornish; and the cornish in other parts where there is to be no pilasters shall not have any modillion, but plain moulding; and the whole of the hewn-work on the outfide shall be composed of one fort of well-coloured free-stone. AND AS TO THE WIN-DOWS, that they shall furnish, perform, and put in the whole fash-windows agreeable to the dimensions in the plan, and in manner next following; that is to fay, all the fashes exceeding

Of Windows.

exceeding fix feet by three and one half feet, which the far greatest part of the building do, shall have oak-soals, and the sashes of good 24 inch thick wainfcot; also the cases shall be of wainfcot, all the rest of the outside-windows of two inch thick wainfcot, the infide of the windows of 14 inch thick clean fir; the windows through the whole building glaz'd with best Newcastle crown, and all the sashes hung with best ropes and pullies, passages not excepted; and the whole fash-frames or cases shall be also of wainscot, and the whole shall be painted twice over with white-lead and oil, and shall have counter-checks out of the folid; and the whole shall be filled with the best Newcastle crown-glass, bedded and finished with putty; and each of the fashframes shall have a thin fir-board on the backfide, to prevent the paces from rubbing on the walls. AND TOUCHING THE WRIGHT-WORK, That they shall pro- Of Wrightvide the whole wood or timber of different kinds necessary for the erecting of and finishing the foresaid building, according to the plan, fufficient and free of blemish; and shall furnish and finish the whole in manner following; that is to fay, the joifting of the feveral

several storeys shall be framed of good red wood, the beams shall be 101 by 9 inches; the girders shall be 10 by 84, with a cambering of one inch to 18 feet; and all the feantlings shall be 10 by 3 inches, and not above 13 feet of a bearing, and laid at 13 inches distance; and the beams shall be 91 feet distance; and the deals shall be very well feafoned, to prevent warping or shrinking: AND the whole timber for the doors and fhutters of the different kinds thro' the whole building, and for the flooring, wainfcotting, furbace-lining and mouldings, shall be of fufficient red wood, free of sap or shakes, and thoroughly feafoned; and the floorings of the Board-room in the Customs, and their two withdrawing-rooms, and Secretary's inner room, and the parlour and drawing-room of each of the five dwelling-houses, shall be of clean deal, either groved and tongued, or douled, and 14 of an inch thick, nailed on the edge; and the wainfcotting in all the principal rooms shall be 11 inches thick the framing, and 3 inch thick the pannels, all to be raised; and the surbace-lining, and lining in the windows, thro' the whole building, shall be 11 inches the framing, and 1 inches thick the pannels; the room doors thro' the whole

I

1

8

ar

bi

ei

do

W

uí

th

W

whole buildings shall be 2 inches thick (except those in the closets and intersoles) with 6 pannels i inch thick in each; the doors of the closets and interfoles shall be four pannels, excepting where they require to be fix, for fymmetry with the other doors; and all the doors of the vaults, and other passage-doors, framed of 2 inch deal and 11 inch thick flushpannels, with proper door-frames; AND all the doors in the Board-room of the customs, and their two withdrawing-rooms, and the Secretary's inner room, shall have proper architraves reprifed with swelling frizes, cornish-pediment, and inriched mouldings, and shall have architraves round the windows in the faid four rooms; and in each of the five dwelling houses, the parlour, drawing-room, and principal bed-rooms, shall have ovolomouldings round the doors and windows; and all the other room-doors throughout the building, shall have architraves with one facio on outfide and infide; and all the outfide doors throughout the building shall be framed with pannels flush on both sides; AND SHALL use iron hold-fasts for fixing these parts of the timber-finishing, where wooden dooks would be hurtful to the building; AND E SHALL

f

d

f

r

-

m

11

d,

ed

ne

he

to

ng.

g,

les

he

SHALL furnish and perform the window-shutters and doors to all the shops, with pannels flushed on both sides with the stiles, except where fash-doors shall be thought better; and have of this date delivered in patterns of the feveral hand-rails and ballusters to be furnished by them for the great stone stair, and the timber stairs, with a label fixed to each of them, figned by the Clerk to the Trustees and the faid Undertakers, which are to remain in the Clerk's hands, for comparing the fample with the stock before they are used: AND the standards in the partitions of the 12 and 15 foot storeys, shall be 4 inches by 21/3, and fet at 14 inches distance, and in the interfole storeys shall be 3 inches by 2 inches, and 14 inches distance; and the whole lathed on both fides fufficiently: AND SHALL level the plain ceilings thro' the whole building, and furnish braggating for all coved ceilings, and for all the cornishes. AND AS TO THE PLAISTERING WORK, That the fame shall be execute in the best manner, and with the properest materials; and there shall be three coats of plaister done on the ceilings and walls of the rooms in the dwelling-houfes, Customhouse, and Exchange, and all flotted;

Of plaistererwork.

flotted; the stairs, passages, shops, and printing-houses, shall have 2 coats of good well prepared fanded lime, WITH handsome wellproportioned plaister-cornishes to the whole rooms; and that for the great stair shall be enriched with egg and dart in the bed-moulding, and with three-leaved grass in the ogie over the corona; which three coats of hardfinishing thro' the whole building, shall be done in the following manner, viz. the first coat with lime, fand and hair, fcratched, and throughly dried; the fecond with the fame materials, and flotted straight; and the third with fine fifted fand, and flotted straight; and plumb and float the whole plaister-work of every kind thro' the whole building. AND Of Smith AS to the feveral branches of SMITH-WORK, That they shall furnish and put on all the locks and hinges, and every other article of fmithwork mentioned in their particular estimate, at the rates therein stated, according to the different patterns thereof, delivered in of the date hereof, with a label fixed to each of them, figned, and to remain in the Clerk's hands, for comparing before used, as aforefaid. AND GENERALLY shall furnish and finish the whole premisses, as before set furth, described or referred unto. At Teast

b

n

C

d

d

E

h

e

TS

1-

11

1;

. Now shit

All the work to be finished as described:

But Beerty 10

6 trild os 255M other hourss

and fliops.

that

At least the mason and out side work.

and about the Customs;

But liberty to the Undertakers to fell the other houses

and shops.

that they will provide and perform the whole of the foresaid diggers and clearers work, the mason-work, the slater, plumber, paviour, and other face and out-work, in and about the faid whole buildings, in the form before expresfed, and in the defign agreed upon; As ALso furnish and finish all the wright, carpenter, joiner, smith, plaisterer, glasier, painter, bricklayer, earver, and every other inwork, whether herein mentioned or omitted, or not rightly mentioned, necessary to complete and make habitable fuch part of the forefaid building as is proposed for a Customhouse, with its whole appurtenances, by all things as before directed. FOR THAT NOTWITHSTANDING of all this specification of performing the work about the other parts of the faid building, it shall nevertheless be in the power of the said Undertakers, EITHER to dispose of the several other shops and houses beforementioned, contained in and around the foresaid Square and buildings hereby intended to be erected; and that from time to time, after the roofs of the faid several houses and shops are put on, and the joifts laid; and that to any person, for fuch price as the Undertakers and Purchasers can agree upon: AND WITH LIBERTY to fuch and purchapurchasers, to finish or alter the internal divi- as they please. fion and finishing of the parcel so to be purchased by them, suitable to their own taste and inclination; or otherways, for inducement to the citizens the more readily to become purchasers of the said houses and shops when fitted up, with power to the faids Undertakers themselves to finish the internal division of all or any of such houses or shops for private sale, in such other or different manner as they may think, or be advised, will best suit the reigning taste at the time, or hit that of particular persons; but all this, so as noways to lower or infringe the estimate or charge of all and every the faids houses and shops as herein after specified, and under the restrictions, and upon payment of the price of fuch houses and shops so to be sold off unfinished, on the terms after mentioned. And further, the faid Patrick Jamieson, Ale- takers, xander Peter, George Stevenson, John Moubray, and John Fergus, bind and oblige them, jointly and severally, and their forefaids, that they, their foresaids, workmen or affignies, or some or one of them, shall, at their like proper costs and charges, provide

fers to finish

Other articles on the Under-

To furnish all fcaffoldings, Gc.

provide all necessary materials for scaffoldings, gangways, mortar-tubs, mortar-hods, centers for arches, or others, for the beginning, carrying on, and finishing the said work, in all its branches; AND THAT they will not use any timber, mix rubbish among the mortar, nor use any other of the materials of the old houses in the new work to be performed by them, except the old stones, and that in the rubble-work only; AND THAT they will from time to time, clear and carry away all the cumbersome rubbish during the progress of the work, and the whole rubbish whatfomever, which shall be made arise, or be occasioned by reason of the said building, on the perfecting thereof: AND IN CASE the faid undertaking shall not be in all things fo fully compleated and finished, on or before

Touse none of the old materials.

To carry off the rubbish.

A forfeiture if and from thenceforth, they will pay unto the work not finished in time.

Commissioners to have an inspector.

shall so remain and be unfinished and uncom-Liberty to the pleated: AND THEY, the faids Undertakers, ALSO AGREE, that the faids Commissioners shall have liberty to depute one or more skilful persons, at their pleasure, to come at

the faid term of Whitfunday 1762, that then,

faids Magistrates, the sum of L. 1. by the

week, for every week which the faid work

all convenient times in the day-time, with work-men, or without, to superintend the execution of the faid buildings, and view, fearch and try whether the same is faithfully and skilfully carried on, according to the plans, estimate and intent of this present contract: WITH POWER to such inspectors, if Powers of the they discover a defect or insufficiency, in either the method, the materials, or the work, to put thereupon a stop to, and hinder the using or working the same, until it is remedied to the satisfaction of the said overseer, or one or more of the Commissioners or others to be appointed by them; PROVIDED that no stop given verbally by such overseer, shall subfift or be in force longer than 24 hours; and if fatisfaction is not in fuch space received, that the overfeer shall be obliged to renew fuch stop by an order in writing, to be directly served upon some of the Undertakers, or their known foresman upon the work, perfonally, or at their dwelling-place; and whatever shall be required or determined by the inspector, or by one or other of the Commisfioners upon fuch verbal or written stop, shall be returned in writing (if so required) and be by the Undertakers fulfilled in the terms there-

Inspector.

of, fuch return being pronounced within eight

The publick to run no risk in the fale of the houses.

The Undertakers to run the hazard of the fales, at certain estimate prices for

the shops,

days from the time of the stop; otherways that the Undertakers shall be at liberty to proceed in the work, as if no fuch stop had been made. And as it is the meaning of parties, and the defign of all concerned, that neither the faids Commissioners for the publick buildings, constituted by the said act of Parliament, nor the faid Magistrates and Council, should run, incurr, or be subjected to any risk in the sale of the houses, and shops to be builded in and about the forefaid Square, for ferving of the faid Exchange; So IT Is hereby expressly agreed, AND the faids Patrick Jamieson, Alexander Peter, George Stevenson, John Moubray, and John Fergus, bind and oblige them, jointly and feverally, and their foresaids, by these presents, to run the risk, and take the hazard of the sale of the faids houses and shops upon themselves, at the feveral and respective estimations as follows, viz. Firstly, The ten shops to be on a line with the street, with rooms over them, at Thirty pounds yearly rent each, and at twenty years purchase, extending to Six thousand pounds; Secondly, The four shops to be behind the range to the street, with rooms over them, at

at twenty pounds yearly rent each, and twenty years purchase, extending to One thousand fix hundred pounds; Thirdly, The feven shops to be within the court, with rooms over them, at twenty pounds yearly rent each, and twenty years purchase, extending to Two thoufand eight hundred pounds; Fourthly, The ten laigh shops to be to the street, at fifteen pounds yearly rent each, and at twenty years purchase, extending to Three thousand pound; Fifthly, The eleven laigh shops to be within the court at ten pounds yearly rent each, and at fifteen years purchase, extending to One thousand fix hundred and fifty pounds; Sixth- The houses. ly, The two houses to be on the east wing, at feven hundred and fifty pounds each, extending to One thousand five hundred pounds; Seventhly, The house to be on the west wing, at Four hundred and fifty pounds; Eighthly, The three houses whereof the two to be on the fouth end of the wings to the ftreet, and whereof one to be on the north of the east wing, at eight hundred pounds each, extending to Two thousand four hundred pounds; Nintbly, The two printing-houses, at Eight hundred and thirty two pounds; Tenthly, The four dwelling-houses to be under

under the level of the court, at four hundred and fixty pounds each, extending to One thousand eight hundred and forty pounds; Eleventhly, The three coffee-houses, at Two thousand nine hundred and twenty pounds; Twelfthly, The customhouse, at Five thousand eight hundred and thirty three pounds fix shillings and eight pence. AND ADDING to these sums the computation of the value of the old materials, and the worth of an additional piece of area to be purchased for a servitude by the Magistrates, and given to the Undertakers, besides the whole area first agreed upon, at the fum of L. 720, WILL MAKE the faid estimation, by which the Undertakers are to take the houses and shops on themselves, TO AMOUNT in whole to the fum of L. 31545:6:8, all Sterling money of Great Britain, and thereby exceed by the fum of L. 88:3:8 Sterling money, the computation of the value of the area, and charge of the building first agreed upon by the estimations hereunto referred. AND AT SUCH last estimations, so herein before inferted, the faid particular subjects shall be held and reputed, and fo rated and accounted for, if not fold on or before the Expiry of this

Total estimation, L. 31545

Undertakers to be bound to fuch estimation.

this contract. Excepting only that part of the building proposed for a Customhouse, which, with the four cellars immediately under the court next the main building belonging thereto, if not taken for a Customhouse at the rate before fet thereon, and which the Magistrates shall determine betwixt and Lammas 1755; or if the Undertakers shall be obliged to convert the fame into private dwellinghouses and cellars; that then, and in either of these cases, there shall be abated and allowed, out of the estimation thereof foresaid. the fum of L. 401: 6: 8 Sterling money; but deducing therefrom the foresaid sum of L. 88: 3:8, as the difference of the foresaid whole last estimation now taken burden for, and thereby reducing the deduction fo to be made upon the Customhouse, if not used to that purpose, to the sum of L. 313: 3:0 Sterl. AND WHICH SUM of L. 313: 3: 0 the faid Magistrates, on the one hand, shall become bound to repeat or deduce to the faid Undertakers, if the faid houses for a Customhouse be not disposed of for that purpose: as, on the other hand, if they shall be so disposed of, that then the faid furplus fum of L. 88,

3 s. 8 d. shall be paid by the said Undertakers

An exception:

Proviso, if houses or shops fell dearer. unto the said Magistrates. AND FUR-THER, the faids Undertakers agree, That, in case all, or any of the houses and shops before mentioned, shall give more and higher prices than the estimations before particularly fet thereon; that then, and in that case, they will communicate and pay one half of all or any fuch furplus-price to, and with the faids Magistrates, for the behoof of the saids Commissioners, to be applied by them for the purposes mentioned in the faid act of parliament. And as the faids Magistrates have, or are to become purchasers of the old houses and area whereupon the foresaid Square, Exchange and buildings, are to be erected, at the price of L. 11749: 6: 8 Sterling; at least at such price the same is hereby declared, computed, transacted, and agreed, shall be so rated and valued between the parties, whether cofting more or less: AND AGAIN, AS the faid Magistrates, for expediting the work, are likeways as well to advance the faid purchafemoney, as to lend and advance to the faid Undertakers, certain fums after mentioned, not exceeding in whole L. 18000, for enabling them to carry on the work, at the times, and by the proportions underwritten; so for

and

Magistrates to purchase the areas,

to advance money for carrying on the work.

and concerning repayment of fuch fums, the saids Patrick famieson, Alexander Peter, by the Under-George Stevenson, John Moubrey, and John Fere takers, gus, bind and oblige them, jointly and feverally, and their foresaids, As WELL to pay the faid fum of L. 11749: 6:8, being the transacted value of the faid areas, As to repay all fuch fums to to be advanced to them for carrying on the work, AND THAT in manner, at the terms, with interest, and under the penalties respectively under written: to wit, WHENEVER any of the faid houses or shops, in and about the forefaid Square and when houses edifice, shall be either fold by them before fold. compleating the whole aforefaid undertaking, or how foon any particular house or shop thereof shall be possessed; then to pay to the Repayment faids Magistrates, or their order, as well two- by certain proportions. fifths, or Forty Pounds, for each Hundred pounds, in part payment, and to account of the faid principal fum of L. 11749:6:8, for the value of the faid areas, as the remaining three-fifths, or Sixty pounds for each Hundred pounds, in part reimburse repayment, and to account of whatever advances may have at the time been made to them for carrying on the work, of all and every Hundred pounds

and shops are

pounds which the faid houses and shops shall either be disposed for by the said Undertakers, or for each Hundred pounds of the value put upon fuch house or shop by the particular estimations before specified, whichever of these shall be highest, and that within fix months after fuch fale, or after fuch house or houses, shop or shops, shall be possessed; with a fifth part of the whole more of penalty, in case of failure, and the legal interest of the said two-fifths and three-fifths respective after the faid fix months during the not-payment of the fame: AND THE REMAINDER, as well of the faid L. 11749:6:8, value of the faid areas, as the fums to be lent and advanced to carry on the work, if any shall be after the partial payments of two-fifths and three-fifths respective beforementioned, all within twelve months after the foresaid term of Whitsunday in the year 1762, at which time the whole buildings are to be compleatly finished, and that whether all the houses or shops are fold or remain unfold, With interest with a fifth part more of penalty in case of failzie, and the legal interest thereof yearly, termly, and proportionally thereafter during the not-payment of the same: LIKEAS touching

and penalty.

touching the moneys to be lent and advanced for enabling the carrying on of the building, the faids Undertakers in like manner oblige them and their foresaids to apply all fuch moneys for and towards carrying on and compleating the work hereby contracted for, and to no other use and purpose whatfoever: AND IN THE MEAN TIME to make payment of an interest for such advances, at the rate of one per centum below the legal interest, for each of the sums so to be advanced, and that from thirty days next after the date of the advance to the faid term of repayment aforesaid: And the saids Undertakers do hereby DECLARE, that the receipt or receipts of any three of them, or of any one of them impowered by the rest, or of a cashier to be named by them for all their behoofs, shall be deemed sufficient to oblige all of them the faids Undertakers to abide thereto, ficklike as if every one of them had fubscribed the same. And to the end the public may have a return of part of the money some work to fo to be advanced for carrying on the faid work, and have no chance of being out the whole foresaid sum of L. 18000; the said Undertakers also become bound to finish and compleat

be finished in

t

Part of the land at the head of the Writers Court to be purchafed.

compleat the whole front-shops to the street, and all the buildings in the west wing, and that on or before the term of Whitfunday which will be in the year 1757. AND AS the foresaid building to serve for an Exchange, is to extend westward 153 feet from Fairbolm's land, which is eight feet further west than the east side of the prefent entry into Writers-Court; and that the faid Town-Council are to purchase that whole tenement of land called or known by land, for introducing the the name of faid eight feet, towards extending the faid building, and are to dispose of, and give the remainder of the area of the faid to the faid Undertakers: SO the faid Undertakers, on their part, hereby become bound to pay unto the faid Town-Council two just and equal third-parts of whatever fums they shall pay of price for the said whole tenement of land fo to be purchased by them at the head of the Writers-Court, and that three years from and after the entering upon the prefent work, with the legal interest thereafter during the not-payment. AND IN FINE, the faids Undertakers agree, THAT ALTHO' they have compiled an estimate of all the

the different branches of the faid work, wherein the feveral quantities are particularly mentioned, and the prices charged to every article; and which estimate is signed by the parties of this date, and has a particular reference to this contract, both for the quantity, nature, and price of the work; NEVER-THELESS, that they will subject the whole work, after it is finished, to a measurement, to be measured by two persons to be named on the part of when finished. the faids Magistrates, and other two to be named by them the Undertakers; and, in case the work upon the whole comes out more upon the measurement than so estimated at, that they will demand no payment for fuch outcome; and altho' the work upon the whole of the measurement shall fall short of the computation, they will fuffer a proportional abatement in the price to be paid them, and that at the rates stated in the said estimate. BUT DECLARING, That no verbal, or even written orders or agreements, given or made by either party, in any case whatsoever, shall be any ways binding to or on the other, unless the particular requested shall be under the hand-writing of all the faids parties hereunto contracting. for the which Causes, and

Articles on the part of the Town-council.

and in confideration of the premisses, and performance of the Council's part of the aforesaid first mentioned agreement, the faid Lord Provost, Magistrates and Council, with the Deacons of crafts, ordinary and extraordinary, of the faid City, do, as well for themselves and their successors in office, representatives of the whole body and community of the faid City, as for, and in name and on behalf of the faid Commissioners nominated by the faid act of parliament, BIND AND OBLIGE them to Sell to the faid Patrick Jamieson, Alexander Peter, George Stevenson, John Moubray, and John Fergus, their heirs, successors, or assignies, ALL THAT AREA, with the ruinous houfes and grounds fet off by the foresaid plans and this contract for building and erecting the foresaid Exchange, Square, and other edifices before-mentioned, lying, fituate and described, as aforesaid, AND ALL the materials of what fort or kind foever they be, that are now or lately were standing on the said area, to become wholly the property of them the faid Undertakers: AS ALSO, on or

before the term of Whitfunday 1755, at least,

from time to time thereafter, TO PURCHASE

and

rea to the Undertakers,

To fell the a-

and all the materials.

and compleat the right and title to all of the To compleat faid ruinous houses and ground thereof to be used for the said building, whenever the faid Undertakers shall have use for, and require the fame; AND ALSO PURCHASE the forefaid tenement of land called land, at the head of the Writers-Court, for To purchase affording the foresaid eight feet to make the Writers-Court faid building extend 153 feet westward from head. Fairbolm's land; and to pay the price for the foresaid tenement of land, and allow the faids Undertakers to fell, use and dispose of the remainder as they shall think fit: AND LIKEWAYS PURCHASE and give fo much To give a ferspace behind the back or north-side of the vitude on back building hereby intended, as to leave an area of at least twenty-five feet broad, between and any other building that shall be erected to the north of the faid Square, and have it declared a free area for ever, so as the windows in the under storeys of the faid back buildings may not be prejudged by any fuch building. AND FURTHER shall warrant, maintain and defend, the faid Undertakers from all stops and hinderances that may arise or occur, in carrying on the faid work, from the neighbouring heritors or others;

the purchases.

the land at

thers; or by reason of any irregularity in the

On compleating the work.

Dispone the premisses.

building, contrary to the acts of the Towncouncil or Dean of Guild-court, and discuss and remove the same on their own charges. And upon compleating the whole work, and on the faids Undertakers their performance of their part of this present contract, in manner before stipulate, THAT the Towncouncil of the faid city of Edinburgh, by and with advice, confent and concurrance of the faids Commissioners, or seven or more of them, shall and will thereupon, in most ample form, Dispone to and in favour of the faids Undertakers and their forefaids, ALL AND WHOLE the faids area and houses, shops, and others then built thereon, as before-mentioned, and as will then be known, re-edified, fituated, and poffeffed, with the whole parts, pendicles, and pertinents of the same, and all right, title and interest, the said Magistrates or Commissioners had, have, or may pretend thereto, in time coming, and whole benefits, privileges, and other matters whatfoever, fo far as concerns the same, vested in or granted to the faids Commissioners, which they and their fuccessors are impowered or capable to affign and

and convey over, by force or virtue of the faid act of parliament: AND FOR THAT END grant and deliver to the faids Undertakers, and their foresaids, an formal and valid disposition of the foresaid subjects, in their favour, to be holden in free burgage, containing an obligement to infeft them therein, clause of absolute warrandice, obligement to relieve them of all bygone taxes and burdens, affignation to the rents, mails and duties, profits and incomes, from this date until that time, and in all time thereafter, and other usual and necessary clauses; LIKEAS, in the mean time, during the course of the work, when any house or shop is finished and fold, that they shall, upon receipt of the foresaid two-fifths and three-fifths of the price, either consent to or approve of every particular fale which the Undertakers shall make; or on their charges grant separate dispositions and other title-deeds to the parate disposirespective purchasers, for the parcels bought by them: BUT SAVING always and excepting from the faids dispositions, AND RE-SERVING for the public, the use of the area, piazza, and other parts of the faid building, meant for to ferve an Exchange

Or grant fe-

Saving the piazza.

change for merchants, and other people of business, to refort to; and all ways, passages, conveniences, matters and things pertaining and relating to or for the use, accommodation and adornment thereof, to be upheld by the Magistrates and Town-council of the city of Edinburgh, in terms of an agreement entered into between them and the Commissioners thereabout. AND PRO-VIDED that, after all fuch fales shall be made over and concluded, the faids Commissioners and Town-council and community, and their fuccessors, shall have no further concern in or about the premisses, or be subject quarrelable or liable to any question, claim or demand consequent here or thereupon: And further, the saids Magigistrates and Town-council towards enabling the faids Undertakers to carry on the faid work, DO HEREBY, for them and their fucceffors, become bound in the mean time to advance, or cause be advanced, to the forenamed Undertakers and their foresaids, or one or other of them, or their cashier, as before on their part mentioned, ALL SUCH fum and sums of money, as they shall have use for and demand, not exceeding, in the whole, the

In the mean time, Magistrates to advance money as the work goes on. the fum of EIGHTEEN THOUSAND pounds Not exceed-Sterling money; and that in manner, at the thousand times, and by the proportions following, THAT IS TO SAY, L. 750 when the Undertakers enter upon the work, towards the west wing of the building, AND L. 250 when the faid west wing shall be level with the court, AND L. 1000 at the term of Whitfunday 1755, AND L. 1000 when the whole buildings are level with the court, AND L. 1000 when the first joist is laid upon the top of the basement, AND L. 2700 when the roof is on the front-shops, AND L. 750 when the fecond joifts all around the Square are laid, AND two thousand seven hundred and fifty pounds when the third joifts all around are laid, AND the like fum of two thousand seven hundred and fifty pounds, when all the roofs are on the whole building; AND THEREAFTER, the fum of one thousand and ten pounds, at the end of each half year, all Sterling money, towards finishing the inside parts of the whole building, until the foresaid credit of eighteen thoufand pounds be fully out and exhausted; OR at fuch other times and periods, or by fuch other meiths and proportions as the parties

ing eighteen

Which advances to be repaid with interest.

All matters not herein mentioned, and

all disputes,

shall be determined by arbitration.

may afterwards condescend and conclude upon. WHICH SEVERAL ADVANCES the faids Undertakers shall be bound to repeat and pay back to the faids Magistrates and Town-council, or their order, at the time, under the penalty, and with the interest mentioned on the faids Undertakers part, before expressed. And for preserving concord between the parties, they hereby Both agree, THAT, whatever doubts or differences may arise between them about all other matters, not hereby expressed or provided, sufficiently explanatory of the foresaid undertaking, or which may arise concerning the same and the subject matter of this contract, or what ought to be incumbent on or should be the construction of either parties respective obligations, about the implement and execution hereof to one another, according to the true intent, meaning and genuine interpretation of these presents; THAT all and every such question or difference, when moved, if not accommodated by and between the parties themfelves, SHALL BE fettled, composed, and forthwith left to the determination of two indifferent persons of skill, the one to be named by the Magistrates, or them and the rest of the Towncouncil, council, and the other by the Undertakers, AS ARBITERS; or to fuch umpire or oversman as shall be chosen by the said arbiters, in case of their disagreement. AND FOR THAT END the faids parties reciprocally to name arbiters and fubscrive a formal submisfion, within ten days after they shall be required fo to do. AND WHAT award or umpirage shall be made and given up in writing, if so required, shall be final, and be obeyed by the parties, without reclamation, PROVIDED the same be so made within twenty days at furthest, after the saids perfons shall be so named and chosen as aforefaid: AND HEREUNTO, and for the full and due performance of these presents, and every clause and article herein contained, the faids Magistrates and Town-council subfcriving, bind and oblige themselves, and all their successors in office, and the saids Patrick famieson, Alexander Peter, George Stevenson, John Moubray, and John Fergus, bind and oblige them jointly and feverally, their heirs, executors, and fucceffors, mutually to each other; AND THAT under the penalty Mutual peof five hundred pounds Sterling, to be paid by the party failing or refusing to implement

Obligement for observance under a

to

The plans and estimates to remain with the Commiffioners Clerk.

to the party observer, or willing so to do, over and above performance: AND BOTH PARTIES AGREE that one copy, as well of the book of plans, elevations, and fections of this work, as of the estimations of the quantities, nature and price, thereof hereunto referred, and of this date subscrived, shall be fufficient, and that fuch shall remain with the Commissioners Clerk as mutual evidents for behoof of both parties, to be shown, copied and used by either of them, when their occasions require. AND THE Magistrates and Town-council hereto subscriving, authorize and appoint George Drummond Efq; one of his Majesty's Commissioners of Excise, and late Lord Provost of Edinburgh, to subscrive, with the said five Undertakers, the saids plans, estimates, and other writings, for and in name of the whole Town-council, which shall be held also sufficient as if signed by them all. And, FOR GREATER SECURITY, both parties confent, that this present contract and fuch writings before referred unto, as may be necessary, BE all registred in the books of Council and Seffion, Borrow-court books of Edinburgh, or any other proper register, therein to remain for preservation; AND, if needful,

Registration.

needful, that an decreet of the judges thereof be interponed hereto, that letters of horning, on a charge of fix days, and all other execution necessary, be directed, and may pass thereon in usual form. And thereto they sightied for the advance sought. stuffnos procurators: IN WITNESS WHEREOF, this, and the twelve preceeding pages, wrote on stamped paper, by John Gray, Clerk to John Dickie Writer to his Majesty's Signet, ARE, with an other duplicate hereof, AND the faid plans, elevations, sections, and estimations, SUBSCRIVED by the said George Subscription. Drummond, Esq; and by the saids Patrick Jamieson, Alexander Peter, George Stevenson, John Moubray, and John Fergus; As ALSO this and the foresaid preceeding pages, and the faid other duplicate hereof, are also subscrived by the saids Lord Provost, Magistrates, and Town-council, ALL at Edinburgh the 12th day of June 1754 years, before these Witnesses, the said John Dickie, and the faid John Gray: And it is hereby declared, before subscriving, that, previous to any A clause adadvance of money to be made by the Ma- ded. gistrates, for carrying on the work, at the feveral.

1

e f

1

,

3,

e e

1.

-

d

ıy

of

of

er,

if

ıl,

Date.

feveral stages thereof, as above mentioned, there shall always be first produced, by the Undertakers, a certificate, from the Inspector appointed by the Commissioners, of the work's being done and brought the length required for the advance sought.

Signed

WILLIAM ALEXANDER, Provost.

APPENDIX,

CONTAINING

ESTIMATES of the particular Pieces of WORK,

INTHE

EXCHANGE.

APPENDIX, containing the Estimates of the Work.

DIGGING.

O digging out the earth for the great drain, and the foundations of L. | s. |d. | L. | s. |d. |

the walls of all the buildings, alfo digging out what earth may be necessary below the court, and body of the building, for obtaining the vaults, and carting it to the Castlehill, or to the south-end of the intended bridge at the North-Loch.

FOUNDATIONS.

To rubble-work in the foundations, the back wall of the cuftom-house & feet thick, and all the other outfide-walls, and infide ones, that carry vents, 4½ feet thick, 13 roods 12 yards, at 9 l.

GREAT DRAIN.

To rubble-work in the drains, the large middle drain 3 feet wide, $4\frac{1}{12}$ feet high to the rife of the arch, which is one foot, being 6 roods 12 yards, To flag-stones, for the bottom, going 4 inch into the wall, on each To rubble-work in the small drains, being 21 feet wide, 3 feet high, to the rife of the arch, which is 9 inches 7 roods 26 yards, at 5 l. To rubble-arches in ditto, 3 roods 31 yards, at 7 l. To arching in ditto, 2 roods 18 yards, at 81. fide 1612 feet, at 3 d.

- 1512 01

To flag-stones for the bottom, 1251 feet, at 3 d.

Sterling money.

of L. s. d. L. s. d.

inof 450 0 0

rry

rry

cet

ds,

38 0 0

ach

7 13 0

to 38 12 2

- 38 12 2

- 38 12 2

- 38 12 2

- 38 12 2

- 38 12 2

- 38 12 2

- 38 12 2

	· Cam								7			12.7	1															
5 E								33											- 1								**	. 3
121992								2	aged a no	-		-											3	H				-10
266							000	633											11					001				
11	4	0	0	0	0	0	01.20	í	- 10	0	10	2	0	4	0	7	o	U.	10	21	6	II	0	0	7	FT	5	
2 17	113	oro	0 1	3	011	00					000	2	7 5	2 11	010	7	19	0	711	6.6	1 0	5	2 16	F	84 18	0	28/18	
82				2.5						212	8		3.	200						51	70	IC			8		10	
Brought forward 822/17	•		•													200		379			•			•		22.41		
t for			•	•	•							1 1 1 1 1						hs,										
ngh	•	•			*									1. 5°				heart								1		
Brc										•		V 1000	•	To cassaway in the two narrow vaults, 2 roods 2 yards, at 1 1. 5 s.				To hewn-work in plain chimney jaumbs, outfide and infide-hearths,								Section of	•	8
	•										803	,		ds,		Comment of the last of the las		ni br		•	9 d.			I S.				
					•			4	F. 1.		To ditto, in 1 foot-walls, 2 roods 20 vards, at 21, 10 s.	2		var var	, .			de ar		1000	f stair, 1869 feet, at 9 d			To building in plates and steps of stair. 21 vards, at		STATE OF		
	9					0		0	NDSTOREY		2t	(ods 2				outfi			o fee		d.	vard		R. S. S.	S.	
			•			r doors at 6 s.	ar	F	115	t 9]	rards	arm	91.	2 ro	vards, at cs.	- (1)	To centers for the vaults, 149 yards, at 1 s.	os.			186		2 feet, at 6 d.	21	19		at 2 s	
	o d.					STOO	2100	-	D	To rubble-work, 23 roods 23 yards, at 9 l	100	24	at	ts.	de	· (cm	S, a'	aum		100	air,		eet.	tair.	at 1 c 4 d	n		
	To 40 pair of shutter-hinges, at 10 d.		. 8 d.			or d	7		Z	Vard	spor	3	ards,	vau	127	1	yard	ev i	,	N. S. L.	of ft		12 fc	J Ju	10	4	10 joilting cubical-measure, 789 feet,	
	es,	t 6 d	S 1 7		ISSI	orh			SECO	23	o ro		5	rrow		- 67	149	imn		-	sda.	t 7	S. I	tens	foot	100	, 78	
	hing	S, a	S, at	6 d	at	e for	2 10	7	SP	pood	III.	Corr	spoc	o nar	4	-	Its,	n ch		- FEE 20	nd ft	et, a	arth	J pu	470	1/7	dure	****
	tter-	ceper	inge	s, at	ocks	nork	ICLA			22 I	T-W		4 IC	e tw	00 00	3	vau	plai	,	Total S	S, a	2 fee	or he	tes a		+ 6	-mes	-
	thu	To 20 window-keepers, at 6 d.	To 12 pair door-hinges, at 1 s.	To 132 iron-batts, at 6 d.	Jor-1	nd f	חוו			irk,	foc		hes,	n th	To arching in plates of flair. 2	Pre	the the	k in	feet, at rod		rner	3.5	To brick-arches for hearths, 11	ı pla	To height of yents 1974 feet		oicai	C2 101 11
	r of	ndov	r do	ron-	er de	0	60			WO	in I	-	-arc	ayi	mi wi	2	s tor	WOL		71	00 4	ent,	arch	וס זו	· Ju	-	z cui	Street .
	o pai	IM C	2 pai	32 i	oute	dirt	THE PERSON NAMED IN			lbble	rto.	1:	pple	ffaw	chir		nter	wn-	6	-) ar	pets	vem	ick-	ildir	ioht	٥٥	Iting	
	0 40	0 20	0 1	0 1	0 2	8	3			o ru	o di) 1	o ru	o ca	n ar	,	o ce	o he	foe	-	o rib	o pa	o br	o bu	o he		0 301	
	- 1	7	_	I	T	I			1	7	T	F	-	T	T	F	-	T		I	-1	H	L	H	H	F	1	

To at inchathick wainfoot, fath and hat Nawradle grown alofe Kill foot

	-			-	-	-	-			-	-	_					-			3	-
-	_							_													1
-											-									7 15	1
										•										61/2101	1
0	9	0	0	0	0	9	9	9	0	0	0	9	0	0	0	0	9	9	0	0	9
00	0	2	30	1	=	1	9	2	0	0	0	9	4	. 0	4	2	80	/00	2	000	
13	90	83	2	3	38	21	99	=	27	.00	-	-	0	c	con	7	0	0	0	4	7
-									3-1		8										,
	*	•											1	ā				1.	,		
		ŝ	•			9		at 28. 6d						•		3					
	•	at 2					p. 9	s s													
			•			•	s	at								H.					
)		836 yards,					at 2 s. 6)												•	
•		5 ye						-													
		83	6 9		6 9	5 d.	ard	93 yards,	,												
			I S.		18.6	at 6 d	bafe 279 yards,		3.40					-:					•		
		plumed and flotted,	at		atı		27	wall-plates.		N.				1 1							
	-:	H	ls,	9 9		rards,	afe	-ple						, at		3				la di	+
	9	and	yards,	S	yards	2	E,	vall				0		cks		•		·p			
	at 3 s. 6 d	g	0	at	1 1	8	d f				•		33	and fnecks.			d.	at 6			
•	at		,	S,	514	Is,	tts and	and	IS			d.		pu			at 6 d	.0			
	ls,		alls	arc	S,	wal		les,	at		.:	S. 6		a		I S.	.0	OW	d.		
	/arc	ns,	B-W	67	ing	ne-	-P	fty	et,		9	4		ges	2 8	at	utt	ind	at 6		1
	73	itio	ono	CA	eil	fto	low	ler-	fe	5.	at	at	2 8	hin	at	· SS	F	8	1,	7	
	51	art	ı A	alls	II C	Ou	·inc	OTT	550	11	sks	KS,	at	5,	SS,	nge	fo.	fo	Cac	711	
	to,	er p	0	*	37.0	t	n W	0	. 5	at	lo	loc	ks,	ck	ng	- - -	ngs	obs	pu		
	di	ii	iing	ath	itte	aist		rds	nic	S	ned	or	nec	r 10	4	tter	S-ri	S-n	Sa		
d.	E	pla	ni.	n	pla	10	i.	boa	COL	ock	min	-do	y u	90	100	Pu	raf	raf	Datt		N. Y.
9	ng	pui	fin	0	pu	non	500	- or	er.	[-S]	1-ri	Set	che	er-c	ir d	.1	ir b	ir b	n-l		
38	100	tha	rd	tto	ha		ain	Ē	aif	bra	iro	5	kit	out	pai	. pa	pa	pa	ir.		
at 3 s. 6 d.	To flooring in ditto, 517 yards,	To lath and plaister partitions,	To hard-finnishing on stone-wa	G	To lath and plaifter on ceilings,	To common plaister on stone-w	To wainfcotting in window-shu	To skifting-boards, corner-styles,	d	,00	4	To 17 closet-door locks, at 4 s. 6	N	To 3 outer-door locks, hinges,	32	42	17	17	To 24 iron-batts and lead, at 6 d.		
	Lo	Lo	Lo	Lo	Lo	Fo	Lo	5	2	2	5	2	2	0	0	0	0	0	0		

	9	1 2
and the second s	0,	1 2
	686	3607
00 0000000		4 .
04 04000000	1 00 70 4880	0 ,
0 - 000 - 100	8 20 4 40 48	152 12
	HE PPHANE	1 12
s, at	p oi	rard
the vault doors,	at 1	forw
	feet,	3
, Xa		arri
the	301 301	COL
80	4 4	- A
including	WESTW 10 S. at 1 S. and hearths,	
in	WE, 1. Ios. at 1s. and h	
KS,		
and fnecks,	LAIGH SHOPS under To rubble-work, 6 roods 18 yards, at 9 l. To ditto in 1 foot-walls, 34 yards, at 3 l. To building in fleps of flairs, 15 yards, a To hewn-work in flairs, chimney-jaumbs, To window-ribbets, 112 feet, at 9 d. To pavement, 1061 feet, at 7 d. To height of vents, 516 feet, at 1s. 4 d. To 2 inch-thick wainfcot-fash and glass, 60	
and d.	P S uncrards, at ards, at 15 yard 15 yard at 9 d. d.	
2 . 6 . 8	P S Yard aard 115 ney ney at at at at at at	00
at at at	6, 7, 8 ii 3, 4 ii 6, 7, 18 ii 7, 18 ii 8, 18 ii	
hij hij	ds ds ds fe a fe	as drows
ks, ks, 1.1.	H H God alls of Lines	
or findship	G G G St.	
doc	A I foo foo bbe in k in	
de d	L wood wood work work work work work work work work	
ron liter litch afs- on- ofet pair	din din din tht c	
To planter-cornice, 600 teet, 1 s To 48 iron-batts, at 6 d. To 6 outer-door locks, hinges, 3 11. To 2 kitchen-door fnecks, at 2 s. To 6 brafs-locks, at 11. To 6 iron-locks, at 6 s. To 6 iron-locks, at 6 s. To 8 clofet-door locks, at 4 s. 6 of 70 23 pair door-hinges, at 2 s. To 32 pair flutter-hinges, at 1 s. To 32 pair flutter-hinges, at 1 s.	LAIGH SHOP To rubble-work, 6 roods 18 ya To ditto in 1 foot-walls, 34 ya To building in fleps of flairs, 1 To hewn-work in flairs, chimne To window-ribbets, 112 feet, a To pavement, 1061 feet, at 7 d To height of vents, 516 feet, a To 2 inch-thick wainfcot-fash an	o 33 Aprile 19
0,0,0,0,0,0,0,0	0000000	00

1.

HIN	4
N N	the secondary of the second second second second
N	13
6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	700
4000000000	0 HW 0 40 400 000
2 × 2 × 4 0 0 4 0 4 ∞	1 240 20 20 20 40 4
152 70 11 12 13 13 14 15 14 15 15 15 15 15 15 15 15 15 15 15 15 15	1 4 5 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
ward	, , , , , , , , , , , , , , , , , , ,
To 33 yards bound-work in doors and flutts, at 4 s. 6 d. To 38 yards thick-dale lyning in bunkars, at 3 s. 6 d. To 13 yards washing-boards, at 2 s. 6 d. To 202 yards lath and plaister-partitions and ceilings at 1 s. 6 d. To 221 yards shandrail and ballusters, at 6 d. To 56 feet of sandrail and ballusters, at 6 s. To 56 feet of sand hinges, at 1 l. To 3 outer-door locks and hinges, at 1 l. To 3 inner-door locks and hinges, at 8 s. To 8 pair shutter-hinges, at 1 s.	To 7 roods 7 yards rubble-work, at 9 l. To 1 rood 16 yards in 1 foot-walls, at 3 l. 10 s. To 20 yards building in 1 feps of 1 fair, at 1 s. To 400 feet hewn-work in 1 fairs, chimney-jaumbs, and hearths, at 1 or 138 feet window-ribbets, at 9 d. To 1348 feet pavement, at 7 d. To 638 feet height of vents, at 1 s. 4 d. To 638 feet of 2 inch-thick wainfcot fash and glafs, at 2 s. 8 d. To 68 yards lath and plaister-partitions, at 1 s. 6 d. To 151 yards ditto on ceilings, at 1 s. 6 d. To 283 yards stone-wall plaister, at 6 d.

To 42 yards bound work in doors and shutts, at 4 s., 6 d.

	5 1	m	1 00
	∞	0	14
	247	39	4096
000000	0000000	0000	0 0
2000000	40 0 400 0	400	0.0
000 10 0 4 m	00 80 - 0 4 - 6	0	6 0 - 72
To 50 yards thick-dale lyning in bunkars, at 3 s. 6 d. To 50 yards thick-dale lyning in bunkars, at 3 s. 6 d. To 16 yards fkiftings, at 2 s. 6 d. To 21 yards ballufters and handrail, at 6 s. To 84 feet fash and glass in partitions, at 1 s. 6 d. To 4 outter-door locks and hinges, at 1 l. To 4 closer-door locks and hinges, at 8 s.	To 5 window-keepers, at 6 d. To 10 pair flutter-hinges, at 1 s. C E L L A R under the W E S T W I N G. To 2 roods 18 yards rubble-work, at 9 l. To 34 yards rubble-arches, at 5 s. To 34 yards centers for ditto, at 1 s. To 34 feet hewn-work in door-ribbets, at 9 d. To 54 feet hewn-work in door-ribbets, at 9 d. To 10 yards bound-work in doors, at 3 s. 6 d.	16 iron-bates, at 6 d.	To a topoge 1 G Ling rapping and 1 F W 2 L M I M C.

.

To 283 yards stone-wall plaister, at 6 d.

3	02-		2					, 00	,			140		-				9			
4	**						_	2	,				a.					7			-
4096	1000							62										246			-
i	0 0	0	0	6	9	0	0	.1	0	0	0	0	9	0	0	0	0	i	0	0	5
1	15	12	0	0	12	91	6	i		0	0	0	12	+	01	00	91	T	-	0	6
	30	2 00	0 01	3	2	-	0	1		105	100	20	01	4	3	2	0	Ī		118	11
Two CELLARS under EAST WING.	To 3 roods 15 yards rubble-work, at 91.	ls centers, at 1 s.	To I rood 22 yards cassaway, at 11.5s.	hewn-work, at 9 d.	ds bound-work in doors, at 3 s. 6 d.	and hinges, at 12 s.	s, at 6 d.		Four VAULTS under the COURT.	To 11 roods 24 yards rubble-work, at 9 l.	s 4 yards rubble-arches, at 9 l.	ds centers for ditto, at 1 s.	18 yards cassaway, at 11.5s.	To 108 feet hewn-work in doors, at 9 d.	ls bound-work in doors, at 3 s. 6 d.	and hinges, at 12 s.	, at 6 d.		VAULTS under the COURT for IAP-ROOMS.		To 3 roods 10 yards ditto in partitions, at 31. 10 s.

Tr. . O wande as wounds with a sucher of

	0.	10
	9	191
· Company		5023
04000004000000	00000	∞ .
0 20 2 4 20 0 2 2 - 0 4 0 0	0 000 0 0	4-1
158 140 140 140 150 150 150 150 150 150 150 150 150 15	9888	229
7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	1	5 6*
		vard
	· 'rō' , .	forv
	٥. ٠	ed 1
at o	NGE., beafe, impost, &c. at s. 6 d.	Carried forwar
, 4. H.	, B.	- 0
frai frai	off,	
2 s.	du	
s. s.	H. 6. H.	9
aut I in I i	Dea 6	
at a		
fraints.	HA S. bealt at 7	
r-rill d. of of at at at at 3s, a at 3s, a	The state of the s	
in fin fin fin fin fin fin fin fin fin f	E A at 6 at 6 vorl	a.
vin	k, Hics	
orn orn orn or or or or or or or or or or or or or	ron rew rew ers	
yar nn-connection of the page	wn wn lluft	
Josephan Parkers of the control of t	ubb he pla pla -bal	3
ods eet de d	ds r feet feet ned hall	
32. fe o fe	883 60 tur	
To 18 roods 24 yards rubble-a To 172 feet hewn-corners in f To 560 feet door and window To 5432 feet pavement, at 7 o To 34. yards building in steps o To 516 feet height of vents, To 800 yards centers for arche To 110 feet 2 inch-wainsfoot, To 806 yards in 7 backed-doors To 46 yards in 7 backed-doors To 34½ yards in other doors, a To 8 outer-door locks and hin To 6 inner-door-locks, at 5 s. To 112 iron-batts, at 6 d.	To 6 roods rubble-work, at 6 l. To 1083 feet hewn-ruffics, at 1 To 2960 feet plain hewn-work in To 35 turned-balluffers of flone, To 14 of half ditto, at 3 s. 9 d.	c
To 18 roods 24 yards rubble-arches, at To 172 feet hewn-corners in stairs and jaumbs, at To 560 feet door and window-ribbets and steps of To 5432 feet pavement, at 7 d. To 34 yards building in steps of stair, at 1 s. To 516 feet height of vents, at 1 s. To 800 yards centers for arches, at 1 s. To 110 feet 2 inch-wainstot, sash and glass, at 2 s. To 806 yards stone-wall plaister, at 6 d. To 806 yards in 7 backed-doors, at 3 s. 6 d. To 46 yards in other doors, at 3 s. 6 d. To 34½ yards in other doors, at 3 s. 6 d. To 8 outer-door locks and hinges, at 14 s. To 6 inner-door-locks, at 5 s. To 112 iron-batts, at 6 d.	To 6 roods rubble-work, at 61. To 1083 feet hewn-ruftics, at 1 To 2960 feet plain hewn-work in To 35 turned-ballufters of flone, To 14 of half ditto, at 3 s. 9 d.	

to a town to James area in Partitions, at 5 1: 14 5:

									•	North Control of the	THE WAY TO VANCE
16		enantier en				A				0	
229 4 8,502316									0,00	23	= i .
00	90	90	,	00	Ó	0	0	0	0	0	0 4
4	48	0 5	7	9 11	00	0	0	0	0	0 1 8	100 G
229	291	424	71601	H W	17	10	91	12	6	317	145
To 7766 feet pavement in piazzas and outer-court, including till, &c.	for defending of rain, at 9 d. To 279 feet joilling in the plate-form, at 2 s.	160 yards flooring in ditto, at 3 s.	To 76 feet of 21 inch-thick wainfcot-fashes, with best Newcastle crown-	To 108 yards lath and plaister on ceilings, at 1 s. 6 d.	To 348 feet plaister-cornish, at 1 s. To 5 iron-grates for letting down light to the places below, 2 feet by 4	feet, 40 feet, at 5 s.	4 ditto, 2 feet by 8 feet, 64 feet, at 5 s.	4 ditto, 3 feet by 4 feet, 48 feet, at 5 s.	4 ditto, 3 feet by 3 feet, 36 feet, at 5 s.	To 25 roods 32 yards rubble-work, at 91. To 1784 feet hewn-work in ribbets, chimney-jaumbs, and hearths, at o.d.	feet hearth-stones, including laying, at r s. yards brick-arches under hearths, at 4 s. 6 d.

. . .

8

The age that with a

2002 13 To 942 feet of 21 inch-thick wainfoot-fashes, with best Newcastile crown-glass, at 3 s. 6 d.

To 630 yards stooring, at 3 s. 6 d.

To 630 yards stooring, at 1 s. 6 d.

To 869 yards stooring, at 1 s. 6 d.

To 869 yards stoorinh, at 1 s.

To 360 feet plaister-cornish, at 1 s.

To 560 yards bound-work in doors and shutts, at 4 s. 6 d.

To 90 yards wall-plates and skiftings, at 2 s. 6 d.

To 90 yards steps of timber-stair, at 7 s.

To 90 yards steps of timber-stair, at 7 s.

To 30 yards stor principal rooms, at 1 l.

To 30 pair door-hinges, at 2 s.

To 30 pair door-hinges, at 1 s.

To 30 pair stoor-hinges, at 1 s.

To 40 pair stoor-hinges, at 1 s.

To 50 pair stoor-hinges, at 1 s.

To 50 pair stoor-hinges, at 1 s. Carried forward To 990 feet joining, at 2 s.

145 9

To 2182 teet height of vents, at I s. 4 d.

IOI			e la companya de la c	T	.,-																	-	-
3	,				-							-											•
10621121																							•
-	•	0	0	0	0	9	0	0	00	0	0	0	0	0	4	0	9	0	0	0	0	9	6
7		01	9	15	15	4	c	191	F	8	2	c	0	12	17	4	2	0	0	7	0	2	61
1		120	10	63	43	7	. ~	9	9	44	2	c	4	4	41	38	48	14	15	13	33	18	w.
Brought forward	WING.	•	•	•	•		•			•			•		•		1,				s. 6 d.		
Br		•	•	•		•			•	•	, '	.•	4 d.		d.					s. 6d.	lings, at 1	•	•
	in EAS	•			•	•	•			٠.			at 2 S.		2 8.8	•	•	•	•	t 4	ce:		•
	SHOPS and INTERSOLES	To 13 roods 14 yards rubble-work, at 9 l.	at 3	I S.	To 1050 feet plain hewn-work, at 10 d.	To 103 feet mouldings, at 1 s. 6 d.	To 108 feet pavement, at 7 d.	To 136 feet of hearths, at 1 s.	To 146 feet chimney-jaumbs, at 10 d.	To 666 feet height of vents, at 1 s. 4 d.	To 10 yards brick-arches, at 4 s. 6 d.	To 2 Ionic capitals, at 1 l. 1 s.		To 46 feet timber-lintles and flyles at 2 s.	To 314 feet 2 inch-wainfcot faih and glafs, at	To 382 feet joifting, at 2 s.	To 275 yards flooring, at 3 s. 6 d.	To 40 yards steps of timber-stair, at 7 s.	To 20 yards handrail and ballufters, at 15 s.	To 58 yards bound-work in doors and shutts,	To 440 yards lath and plaister on partitions and	To 725 yards stone-wall plaister, at 6 d.	Fo 25 yards skiftings, at 2 s. 6 d.

To 5 outer-door locks and hinges, at 1 1.

KI O OI . . .

044 7051 4 4 1 8 8 8 4 8 4 1 9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	I a		1		14						•
8 s	181				Pilo						
8 s. 3 at 2 s. 4 t 2 s. 5 at 2 s. 6 3 1 5 6 d. 6 d. 6 d. 7 14 6 d. 7 14 7 14 7 14 7 14 7 14 7 14 7 14 7 14 8 0 9 7 5 1 1 3 9 8 0 1 1 1 s. 1 1 1 s. 1 1 2 s. 1 2 s. 1 3 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	919				0.01					100	
8 s. 5, at 2 s. 6, at 2 s. 7 LES in WEST WING. 97 191. 6 d. 6 d. 6 d. 7 d. 7 d. 7 d. 7 d. 8 d. 8 d. 8 d. 8 d. 9	+;	001	00	moo	0 0	00	0	200	00	0.00	0 0
8 s. 5, at 2 s. 6, at 2 s. 19 L. E. S. in W. E. S. T. WING. 19 J. 19 J. 19 J. 10 d. 6 d. 6 d. 6 d. 6 d. 11 J. 1 s. 12 s. 8 d. 11 d. glafs, at 2 s. 8 d. 19 J. 19 J. 19 J. 10 J	0.	15	9 4	00	0 0	17	+ 0	91	12 5	10 04	
8 s. 5, at 2 s. 6 at 2 s. 7 L E S in W E S T WING. 7 gl. 6 d. 6 d. 4 d. at 1 l. 1 s. he shop, at 3 s. 4 d. tt 2 s. nd glas, at 2 s. 8 d.	386	36	4 2 2 2	9 00		4 -	2		16	97	0 0
8 s. 5, at 2 s. 1 LES in WEST W 1 gl. 1 gl. 10 s. 6 d. 4 d. 4 d. at 1 l. 1 s. he shop, at 3 s. 4 d. ut 2 s. nd glas, at 2 s. 8 d.	-pu		••	•		, ' '					•
8 s. 5, at 2 s. 1 LES in WEST W 1 gl. 1 gl. 10 s. 6 d. 4 d. 4 d. at 1 l. 1 s. he shop, at 3 s. 4 d. ut 2 s. nd glas, at 2 s. 8 d.	Orw							•		O.Z.	
8 s. 5, at 2 s. 1 LES in WEST 1 gl. 1 d. 6 d. 4 d. 4 d. 4 d. at 1 l. 1 s. the shop, at 3 s. 4 d. ut 2 s. nd glas, at 2 s. 8 d.	Carried for							•		VII	• • • •
8 s. 5, at 2 s. 7 L E S in W 191. 6 d. 4 d. 4 d. at 1 l. 1 s. tt 2 s. nd glafs, at 2 s.	Carr	0				•	•		, a		
8 s. 5, at 2 s. 7 L E S in W 191. 6 d. 4 d. 4 d. at 1 l. 1 s. tt 2 s. nd glafs, at 2 s.		.		d.						ST	
8 s. 5, at 2 s. 7 L E S in 1 g l. 6 d. 6 d. 4 d. 4 d. at 1 l. 1 s. tt 2 s. nd glafs, at		And the state of the state of			2					N E	
8 S. 5, at 2 S. 10 L E S 10 J. 11 J.		at 2	•		5, %		•		*		•.
ks and hinges, at 8 s. inges and keepers, at d I N T E R S O L E Is rubble-work, at 9 l. in 1 foot walls, at 3 l. ruftics, at 1 s. hewn-work, at 10 d. iouldings, at 1 s. 6 d. y-jaumbs, at 1 s. 6 d. rehes, at 4 s. 6 d. of vents, at 1 s. 4 d. ef vents, at 1 s. 4 d. l. at 7 d. l. at 2 s. l. d. at 2 s. l. d. at 3 s. 6 d. l. d. at 3 s. 6 d. l. d. d. at 3 s. 6 d.		als,		op,	-				01	S	
ks and hinges, at 8 inges and keepers, d INTERSO Is rubble-work, at in 1 foot walls, at ruffics, at 1 s. hewn-work, at 10 touldings, at 1 s. 6, at 1 s. 7 jaumbs, at 4 s. 6 d. of vents, at 4 s. 6 d. of vents, at 1 s. 4 8½ in diameter, at 7 d. t, at 7 d. vork in entry to the ntles and flyles, at 3 s. 6 d. d., at 2 s. c. d.		р Б	. 19	e In	. j	-0	;	7	31.	コニ	at at
ks and hinges, inges and keep d I N T E R is rubble-work, in 1 foot walls ruffics, at 1 s. hewn-work, a 1 ouldings, at 1 s. y-jaumbs, at 1 s. y-jaumbs, at 1 s. y-jaumbs, at 1 s. df war 1 s. df war 1 s. df war 2 s. df wainfcot fallig, at 3 s. 6 df is, at 3 s. 6 df ing, at 3 s. 6 df		h an	s, at	o th	S. 4	o d	•	t 10	, at	S O	at o
ks and hing hings and I N T E Is rubble-w in 1 foot wings, at hewn-worl nouldings, at 1 s. y-jaumbs, at 2 s. cof vents, at 4 d. of vents, at 2 d. vork in ent ntles and ff, at 2 s. ch wainfect wainfect wainfect wainfect wainfect in g, at 2 s.	10	6 d	tyles	ly t	at I	at 1	4 4	K, a	valls 1 S.	상성	keel keel
d I N d I N d I N d I N ds. ruffics ruffics hewn- nouldin rches, of ven 8 in t, at t, at vork in ntles a ng, at 2 ch wa ng, at		3 S.	nd f	7 d.	diar	at 4	, S.	wor	oot v	T E	and
of child in the state of the st		, at	les a	at rk ii	ver in	jaun nes.	at 1	WII-	1 fe	I N ddu	ges
Ting Er a be bring		inch	lint.	ent,	t of	ney- arcl	hs,	n he	ds in n-ru	und rds 1	-hin
S 2 2 9 yar		f 2 floo	Der.	vem	eigh	hìm rick	eart	plai	yar	S a	or ic
ndo ir shi ir		ards	tin et je	t pa	set h	et c	et h	feet of h	s 22 eet	OP ds 2	r fh
roon rood rood rood rood rood rood rood		6 te	feet 7 fe	feel	o fe	7 fe yar	o fe	400	7.5 f	H coor	pai
22 0 1 1 1 1 1 1 2 2 4 2 2 2 2 1 1 1 1 1 2 2 2 2	11/2	27	46	81	27	II Z	11	010	14	Sot	2 21

0.0

61618	
900000000000000000000000000000000000000	51
H00000000	0 00 00 00 000
040000004	० ० ० व व व व व व व व व व व व व व व व व
288 11 1 4 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1	80 m 4 70 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
fers, at 15 s. ors and flutts, at 4 s. 6 d. r, at 6 d. ses, at 11. fers, at 18 s.	S in WEST WING. I. S. thinney-jaumbs, coping and corchimey-jaumbs, coping and corand architraves, &c. at 1 s. 6 d. and riobets, at 9 d. t. z s. 6 d. at 1 s.
To 32 yards steps of stairs, at To 16 yards handrail and ballud To 50 yards bound-work in do To 320 yards lath and plaister. To 501 yards stone-wall plaister To 21 yards skiftings, at 2 s. To 4 outer-door locks and hing To 4 pair room-door locks and To 17 pair statements.	Two DWELLING.HOUSE To 29 roods 30 yards rubble-work, at 9 To 10 roods 15 yards ditto in 1 foot wall To 68 yards building in fleps of flair, at To 1452 feet hewn-work in flair-fleps, nice, at 1 s. 6 d. To 1239 feet mouldings about windows, at To 1339 feet plain hewn-work in corners To 188 feet ditto in belts, &c. at 1 s. To 269 feet large moulding in cornice, at To 529 feet chimney-jaumbs and hearths, To 932 feet height of vents, at 1 s. 4 d. To 1164 feet joilting, at 2 s.

To 22 yards brick-arches, at 4 s. 6 d.

			п
		н	ø
			п
		1	ı
		1	
77.			
		- 15	
		- 1	
		- 1	
		18	
		18	
100		- 1	
		- 15	
2.0			
Co.		- 11	
		-8	
7			
		- 1	
31.		- 1	
		- 1	
		- 1	
		- 1	
140		- 1	
1		- 1	
S .		- 4	
		- 3	
		- 11	
X-11		-11	
		-0	
-			
All			
•			
·O.			
- 10			
-			
-0V			
366			
-			
407			
-			
- 94			
~	,		
-			
de.			п
_			
_	٧.		
100			
. 4			н
200			ijŘ
			ıβ
			ijξ
100			а
-			
•			
-			-
_			-
			1
112			d
_6%	o)		d
11			ø
M.	ø		ø
2 4			п
~			ø
			d
_	w.		и
200	e l		d
-			а
-			ijĺ
-			ø
-			
_			
-			
-			
•			
	c		
	L		
200			
10			
4			
10 1104 Icc Johnnes "-	-		

																	100			111		1	=
													1									1	151
																						1	8086/15
0	0	4	. 0	0	0	0	0	0	9	9	8	0	9	0	9	0	0	0	0	0	i	00	4
14	91	13	10	.00	91	12	4	10	7	17	1	4	10	000	4	.0	0	0	T.	9,	9	S.	ce.
4	100	51	45	112	180	127	136	80	68	7	21	47	42,	00	19	20	27		. 2	•	1	1728	•
-	P. C.	•			roj C							0		200	3				•		1-4		ard
•	•			•	•				•	. •							• •	U		•			orw
																							rried for
		•	•	•			•			'			•										arri
•					•															•			0
										•													0,
		•					5 d.		5 d.		-	S.	p. 9	CC.					t 3	•			
•				p 9			3 8.	S	s.			at	S	ter					ks a				
			4 d.	3.8		•	at 3	at 2 S.	at I			es,	at 4				s.		nec				
	S S.	-	at	at	d.				S,	d.	d.	trav	ts,				15		ed f				
d.	at (at 5	int,	is,	8	•	600 ditto	tion	ling	9.	10	rchi	hut				, at	t I	lpu				
3.6		k, at	fror	glafs,	2 8.	8 91	900	arti	cei	2 5	, at	d an	pu		d.	od.	ters	3, 2	s-ha				
4	rkir	WOI	in 3	and	at	at	s.	er-r	uo .	at	fter	s an	rs a	6 d.	9 .	t I	THE	nge	braf			1	C
, a	d fa	ter-	rork	afh	tto	rk,	It 4	aift	fter	ing,	plai	ice	doo	S	2 8	r, a	d ba	l hi	13	-	***	OD EN	
ches	; an	fla	M-pa	ch f	h di	W.	50	d p	plai	iifh	rall	Corr	ij.	at 3	, at	fai	an	anc	anc	1		100	
-ar	ffing	ards	sche	Ë.	inc	ber	ring	1 an	nud	fini	le-w	er-c	ing	0,	ngs	of	Irail	cks	ks,	· q			
rick	roor	2 y	bros	2	. 4	Ium	floo	lath	th	ard.	fton	laift	lyn	ditt	cift.	eps	land	r-lo	loc-	at 6			
ls b	rds	1 8	set	t of	t of	ls p	rds	rds	r la	ls h	rds	t p	rds	rds	ls n	ds ff	ds h	doo	ton	ts,	0	Though sand	
yarc	ya	poo	I fe	fee	fee	yarc	ya	ya	fee	yard	ya	ie.	ya	3 ya	yard	yar	yar	air	but	bat	2.	17	
21	336	10	272	548	141	47	156	808	606	63	758	944	189	568	51	28	36	3 p	14	32	9	Total .	
To 21 yards brick-arches, at 4 s. 6d.	To 336 yards rooffing and farking,	To 10 roods 12 yards flater-worl	To 2721 feet broached-work	To 648 feet of 24 inch fash	To 141 feet of 2 inch ditto	Lo	To 156 yards flooring, at 4 s. 600 ditto	Lo	To	To	To	O.L	To	To	To	To	To 36 yards handrail and ballusters, at 15 s.	To	To	To 32 batts, at 6 d.	200	7	
147	1	13				13	1		1	1	Prince			To and	-		1	3	- Contract	horse	340		1

ges, at 2 s. 13 14 15 17 18 18 18 19 19 19 19 19 19 19	Drought Iorward 1720	3 0	11 2 9808	15	-
13 13 0 0 4 0 0 4 0 0 15 0 0 15 0 0 0 0 0 0 0 0 0 0 0 0 0			1		
or rings and nobs, at 18. Or V S E S on E A S T WING. Or walls, at 3 l. 10 s. Or windows, at 1 ls. Or windows, at 9 d.	13	3 0			
Trings and nobs, at 1s. 13 12 0 14 15 0 15 15 0 16 15 0 17 15 0 18 15 0 19 15 0 10 15	0	-	- 6		
10. U. S. E. S. on E. A. S. T. WING. 11. S.	9 -	_	0		Oly a seed
ot walls, at 3 l. 10 s. ot walls, at 3 l. 10 s. d-ribbets, &c. at 1 s. elts, ribbets, &c. at 9 d. 1 s. & d. indows, at 1 s. & d. s. 4 d. and glafs, at 3 s. & d. at 5 s. at 6 s. at 5 s. at 6 s. at 5 s. at 5 s. at 6 s. at 5 s. at 5 s. at 6 s. at 5 s. at 6 s. at 5 s.	3	2 0			
our SES on EAST WING. 261 0 ot walls, at 31. 10 s. deribbets, ex. at 1 s. elts, ribbets, ex. at 9 d. 1 s. 6 d. ce, at 2 s. 6 d. sof windows, at 19 d. sof windows, at 9 d.	1	1	1757	0	2
ot walls, at 3 l. 10 s. plates of stairs, at 1 s. d-ribbets, &c. at 1 s. elts, ribbets, &c. at 9 d. 1 s. 6 d. ce, at 2 s. 6 d. indows, at 1 s. 6 d. s. 4 d. s. 4 d. and glafs, at 3 s. 6 d. s. 4 d. s. 5 f. 10 d.			0		
plates of stairs, at 1 s. d-ribbets, &c. at 1 s. d-ribbets, &c. at 9 d. 1 s. 6 d. ce, at 2 s. 6 d. indows, at 1 s. 6 d. sof windows, at 9 d. 5. 4 d. s. 4 d.	261	0 0	0/		
plates of stairs, at 18. d-ribbets, &c. at 18. elts, ribbets, &c. at 9 d. 1 s. 6 d. ce, at 2 s. 6 d. indows, at 1s. 6 d. sof windows, at 9 d. 5. 4 d. s. 5 d. s. 4 d. s. 5 d. s. 6 d. s. 7 d. s. 7 d. s. 7 d. s. 7 d. s. 8 d. s. 9 d.		7 9	C C		
d-ribbets, &c. at 1 s. elts, ribbets, &c. at 9 d. 1 s. 6 d. ce, at 2 s. 6 d. indows, at 1 s. 6 d. sof windows, at 9 d. 5. 4 d. s. 5 f. 10	3	0 8	Q.		-
elts, ribbets, &c. at 9 d 65 10 28 4 46 2 46 2 46 2 46 2 46 2 46 2 46 46 46 46 46 46 46 46 5 4 46 46 5 5 4 46 6 5 6 4 6 6 6 6	95	0 4	0		
ce, at 2 s. 6 d. ce, at 2 s. 6 d. indows, at 1 s. 6 d. sof windows, at 9 d. 6 d. 5. 4 d. 5. 4 d. 48 16 and glafs, at 3 s. 6 d. 48 16 118 4 indows, at 6 s.	65 1	0	0.00		
ce, at 2 s. 6 d. imdows, at 1 s. 6 d. sof windows, at 9 d. 6 d. s. 4 d. s. 4 d. and glafs, at 3 s. 6 d. glaft, at 6 s. at 6 s. stat 6 s.	28	4			1
indows, at 1 s. 6 d. 3 3 3 6 d. 5 6 d. 6 d.	46			-	
sof windows, at 9 d. 6 d. 5. 4 d. 8 d. 144 16 and glafs, at 3 s. 6 d. 9 d. 118 4 118 4 118 4 118 5 9 at 5 s.	8	2 6			
8 d	3	3	0		
s. 4 d. 59 18 144 16 8 113 8 4 16 16 16 16 16 17 18 18 16 17 18 17 18 17 19 18 17 19 18 17 19 18 17 10 17 18 17 10 17 10 17 18 17 10	4 1	0 6	0		
and glafs, at 3 s. 6 d	59 1	8	0	-	
and glafs, at 3 s. 6 d	144	0 9			
8 d	113	0 8		-	
5, at 6 s	48 I	0 9		_	
at \$ s 57 10	118	4			
	1145		1	-	
	3/1		-		
To 47 yards plumber-work in panes, at 16 s.			20 24 22 0 2 2 4 2 2 2 2 2 2 2 2 2 2 2 2	20 2 4 7 2 1 0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	20 24 24 0 2 2 2 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

1	1 000	8	-	1815	Carried formand
		0	2	5	10 23 cloiet and preis-locks, at 4 s. o d.
		0	00	0	To 4 door-inecks, at 2 s.
00	1017	0	8	တ	To 8 brafs-locks, at 11. 1s.
		0	14	7	n-rimmed locks, at 6 s.
		0	14	3	ir shutter dutto, at 1 s.
		0	12	4	ir door-hinges, at 2 s.
	L	0	0	7	To 2 outer-door locks and hinges, at I l.
		0	01	7	To be yards ikitings and wall-plates, at 2 s. 6 d.
		0	5	96	•
		0	00	36	To 182 yards bound-work in doors and shutts, at 4 s.
		0	17	38	
		0	1.5	57	yards itone-wall plaister, at 10 d.
		9	7	00	urds hard finnishing, 2 s. 6 d.
		0	0	99	rards ditto on ceilings, at 1 s. 6 d.
		0	0	92	yards lath and plaitter on partitions, at 2 s.
		0	9	3	ards steps of garret-stairs, at 6 s.
		9	0	24	To 31 yards in 4 handrails, at 15 s. 6 d.
_		0	0	22	ds fteps of ftairs, at 10 s.
	_	9	0	123	To 703 yards ditto at 3 s. 6 d.
		0	4	35	rards flooring, at 4 s.
_		0	7	45	To 2721 feet broached-work in the front, at 4 d.
	-	0	12	37	To 47 yards plumber-work in panes, at 16 s.

Brought forward	1815	-	8	9843 16	191	-	
To 6 brafs-handles and fnecks, at 3 s.	0	18	0				
To 31 pair brass-rings and nobs, at 1 s.	1	11	0				
To 153 yards rain-water pipes for forefaid houses on east and west							
wings, at 17 s.	130	-	0				
	1	1	ī	1947	11	00	
One DWELLIN G-HOUSE on NORTH-EAST WING.							
To 14 roods 24 yards rubble-work, at 91.	132	0	0				
To 10 yards ditto in 1 foot walls, at 3 l. 10 s.	0	19	4				
To 7 yards building in steps of stair, at 1 s.	0	7	0				
To 1158 feet hewn-work in ribbets, corners, and chimney-coping,							
at 9 d.	43	8	8				
To 471 feet hewn-work in hearths, jaumbs, and steps of stair, at 1 s.	23	11	0				
To 509 feet height of vents, at 1 s. 4 d.	33	81	8				
To 11 yards 2 feet brick-arches, at 4 s. 6 d.	_	01	9				
To 200 feet of 21 inch wainscot fash and glass, at 3 s. 6 d.	35	0	0				
Fo 230 feet of 2 inch ditto, at 2 s. 8 d.	30		4				
Fo 794 feet joilling, at 2s.	79		0				
To 211 yards rooffing and farking, at 6 s.	63	9	0				
To 5 roods 9 yards flater-work, at 5 s.	56	1	0				
Fo 44 yards plumber-work, at 16s.	35	4	0				
Fo 110 yards flooring, at 4s.	22	124	0				
To 332 yards ditto, at 3 s. 6 d.	58		-				
Fo 42 yards steps of timber-stair, at 10 s.	21	0	0	•	-	-	

To 200 yards lyning in doors and shutts, at 3 s. 6 d.

		61		1
	e question de la company			0
		808		12596
00000	000000	0000001	06	ο,
0 100	001000	4804981	17.0	0.1
322	20 70	4000-0	453	. 457
Fo 200 yards lyning in doors and flutts, at 3 s. 6 d. Fo 47 yards fkiftings and wall-plates, at 2 s. 6 d. Fo 60 yards lyning in doors, &c. at 4 s. Fo 328 yards lath and plaifter-partitions, at 2 s.	To 128 yards ditto on ceining, at 1 s. o d. To 128 yards hard-finnishing, at 2 s. 6 d. To 479 yards architraves and mouldings, at 1 s. To 400 feet plaister-cornice, at 1 s. To a to feet plaister-cornice, at 1 s. To a to outer-door lock and hinges, at 1 l. 1 kitchen-fneck, at 2 s. 6 d.	d. at 1 S.	To 5 roods 13 yards rubble-work, at 9 l. To 1 rood 4 yards ditto in 1 foot walls, at 3 l. 10 s.	Carried forward

	+2//	1	2000	
50 reet newn-work in coping, cornice, ikrews, tabling, ribbets,			0.000	
Ec. at 9 d.	15612	8		
To 1390 feet moulding, architraves, cornice, keys, and ruftics, at 1 s.	3			
	104	0		L
To 1100 feet hewn chimney-jaumbs, and hearths, at 1 s.	55 0	0		
To 414 feet Modilion-cornice, at 2 s, 6 d	5111	0		
77 steps and plates of great stair, at 3 s.	21811	0		
4 feet height of vents, at 1 s. 4 d.	8112	0		
s feet pavement, at 7 d.	010	-		
28 feet joilting, at 2 s.	242 16	0		
yards roofing and farking, at 6 s.	194 2	0		
roods 30 yards flater-work, at 5 l.	69	4		
feet plumber-work in plate form in panes, at 16 s.	203	0		
feet fashes in roof, at 2 s. 8 d.	14 8	0		
feet of 21 inch wainfcot fash and glass, at 3 s. 6 d.	29717	0		
sy-lights and lead-work, at 21.	18	0	IV.	
ving the City's Arms on the piedement,	40 0	0		17164
ne cut vazes, at 7 l.	21 5	0		
To 1997 feet broached-work in front, at 4 d.	33 5	00		
yards brick-arches, in entry to great stair, at 5 s.	170	0		
yards ditto in hearths, at 4 s. 6 d.	512	111		
yards flooring, at 5 s.	86 0	0		
2 vards ditto. at 2 s. 6 d.	-	(-

1

TON ISTANT

The same of the sa

To 199 feet fliftings and wall-plates, at 2 s. 6 d. To 332 feet architeraves and furbate-mouldings, at 1 s. To 160 yards bound-work in doors and flutts, and other wainfcotting, in 190 7 6 To 3 chainney-pieces, with tabernacle-frames and marble-jaumbs, at 4 s. 905 ditto, at 3 s. 6 d. To 8 choor-pieces with pediment and carved-mouldings, at 4 l. To 183 yards wainfcot-farbate, high 1 in 12 rooms, Attic-ftorey, at 3 s. 6 d. To 170 yards of rain-water pipes, at 17 s. To 43 yards handrail and ballufters in great flair, at 15 s. 6 d. To 15 yards fleps of timber-flair, at 10 s.

11	A		1					4															-
8								1.5									-	W/F 74.7	O NO				
396				en lactory			0	3538 15							******								•
112596 8 11								3															_
4	0	0	0	0	0	0	i	0	0	0	0	00	II	0	0	0	8	0	0	4	0	0	9
6.	18	9	4	17	200	111111	14	10	1 4	2 64	4	9	17	.0	10	lo	10	0	91	13	101	5	(20)
Brought forward,3504	3	0	7	15	, "	, "	,	100	831	192	10	23	85	40	107	127	98	114	356	48	. 54	26	30
ard			•									-		•			.,	•	,				-
Orw																							
it f			•							THE .				9	1								
gn				•	S			H		T.				at 10 d.									•
Bro		•			at 2			Z					0	ta .						•			
				_:			12	FRONT		•	0.0		100	ths,		•		s.			•		:
				9	Mo			H			3			ear				at 6 s.					
				ditto, at 1 l. 11 s. 6 d.	vinc			on			B			f h		-			•		d.	•	
					Jr v			S						et c	d.	0.9	0	ons			01		14.
		•		-	's fe			OP	10 8.				•	o fe	9 .	5 8.		ä	S		at	1	7 8.
	•			at	eper		Dis.	HIGH and LOWS HOPS	10					42	2 8	at 5 s. 6 d.	9	pai	16	0	de,	7	at 7
		•		to,	ke	S.		S	at 7 l.		q.	7		78,	at	6		il.	at	17	ftra	9	r,
	I S.		S.	di	pur	at & S.		M	at	1 8	9.	por	7	mey	ns,	ffin	2 8	cing	n,	4 d	allu	7 S.	flair,
	at		at 6		· S	KS,	-	0	ng,	at	IS	at	1	hir	itio	101	at	farl	for	·s.	n b	at	ber-
	to,		S,	-	ob	loc	17	H	ildi	ics,	at	rs,	a	f c	part	pun	ils,	nd	ate-	at	k i	16,	tim
	Ē.	p 9	ock	-	S. 1	ret-	41.0	anc	bu	FILE	igs,	fai	ent,	bso	ck-	19 2	Ta d	19.9	10	ts,	WO	ffol	of
	tte	at	ed 1	at	ring	gar	0	H	urds	wn-	Idin	.5	eme	um	bri	orir	and	offi	d in	ven	VII-	Jo	bs
	fin	tts,	nu	ks,	afs-	pu		G	6 V	he	100	ceps	pav	n la	of	flo	aff	ro	lea	· Jo	hev	ers	ffe
	Jo	·ba	-E-T-	·loc	br	eta		H	ds (eet	at n	et A	et	et ii	ırds	ırds	et f	ırds	rds	et	eet	Inf	ırds
	air	ron	iron	rafs	Dair	lof			roo	12 f	fe	fe	5 Fe	fee	y ya	, V	f.	y c	Ya	o fe	12c	bal	À I
	8	[2]	24	S bi	39	13	,		11	384	126	260	294	540	860	462	739	38	446	730	130	10	98
	To 78 pair of shutter ditto, at	To 12 iron-batts, at 6 d.	0	To 6 brafs-locks, at 11. 1 s. 6	To 29 pair brafs-rings, nobs, and keepers for windows,	To 13 closet and garret-locks,	-		To 11 roods 6 yards building,	To 2842 feet hewn-ruftics, at	0	To 560 feet steps in stairs, at 10 c	Lo	Lo	To 860 yards of brick-partitions, at 2 s. 6 d.	To 462 yards flooring and joilting,	Lo.	To 380 yards rooffing and farking in partitions,	To 446 yards lead in plate-form,	To 730 feet of vents, at 18. 4d.	Lo	To 70 ballusters of stone, at 7 s. 6 d.	To 861 yards steps of timber-
		-	-												7		1						r Ind

The same of the sa	approximately and the second second
7 10	i º
2	3
01.80310	17938 14
The second secon	
00000000	040000000
34 13 11916 11916 12916	0 00 0
34 13 1916 78 0 78 0 13 12 21 2 4 17 16 62 5	221 I
To 462 yards ceiling-plaister, at 1 s. 6 d. To 88 yards in double outer-doors, at 4 s. 6 d. To 104 yards handrail and bannusters in stair, at 15 s. To 68 yards framed-doors, at 3 s. 6 d. To 1706 yards framed-doors, at 1 s. 6 d. To 1706 yards thick-dale bunkar in laigh shopes, at 3 s. 6 d. To 127 yards thick-dale bunkar in laigh shopes, at 3 s. 6 d. To 231 yards ceiling-plaister, at 1 s. 6 d. To two additional cellars east wing, To two laich shops under east wing,	s Court, rinting-houfe, by its being fet 42 g-boufe, to anfever for the additional-
To 462 yards in To 104 yards in To 104 yards in To 32 yards fro To 1706 yards to To 127 yards to 120 two addition To two laigh in To two l	To two shop To one dwell To an iron-r To 7 roods of feet furthe work of th

					-1		6	7.1
#			than the view		0 744		0	4
					E021		2060	66661
4 00	9	0 0	- 0	7.	Por	000	100	i
6616	4	25 6	12	14	1.023	0000	1 0	-
66			IIIII	3		2718	1 -	
To 2622 feet of pavement in kitchens of the feveral dwelling-houses, at 6 d. In regard it was already computed broached, To 1650 feet pavement without the court in front for 10 feet out, inclu-4418 6	ding the gutter, at 7 d. To 67 g feet hewn-stone in 30 paules at 7 feet 6 inches long, 9 inches on fide, at 9 d.	To 581 feet in the breasts of the window-ribbets, as they are required to be 8 inches in the head, and calculated at 7 inches only, at 9 d. To 2976 feet hewn-work in 6 chimney-stalks on the back parts of the	To pigs for the chimneys throughout the building, wiz. 2d florey above the printing-house, 4 chimneys,	;.	5 dwelling-houses, 5 each, - 25 ditto, Custom-house, - 12 ditto,	To Priming and painting in white-lead and oyl 279 windows, at 28. To feaffolding, crans, rops, &c. and other incidents,	As Australa partied, sug parabactum majori, sp. 12 sec.	In all,

Deduce for less want in the

Deduce, for less work in the piazza by its being streight,

					2				
			No.		•				
				6	0 167				
6	9	6	0	0	0	8	0	4	0
m	m	11	9	91	15	00	8	13	3
16	2	8	9	32	0	158	34	14	20
ï	•			•	•		•		
	•				•	•			
•		•	•					3 d.	
•					• 1	at 7 s	•	at 28. 8d.	d.
				1	SE	ms,	1	s, at	at 6
	s.	6 d.		at 16	LIS	001-C	4 d.	l glaf	fer,
1 S.	at 3	. 1 S.	ng, at 2 S.	rk,	ce, a	in tay	1 8.	h and	plaid
s, at	ng,	g, at	ng,	r-wo	ornic	nent	ts, at	ot fall	-wall
ruftics, at 1 s.	floori	ceiling, at 1 s. 6 d.	joitti	umber-work, at 1	ifter-cornice, at	pavement in tap-re	ven	ainfo	stone-wall plaister, at 6
	ards 1	15	×	rds pl	t plai	feet 1	et of	et w	ards 1
By 323 feet	34½ yar	41 y	63 feet c	I yaı	15 feet plais	5432 feet	516 feet of vents, at 1 s. 4 d.	ro fe	806 yards 1
By	i	3	9	4	1	2	2	*	8

Total charge after making the deductions, L. 19707 16 43

